Gorham Bypass Study

PIN 8151.10, STP-8151(10)X Cumberland County, Maine

Natural Resources Technical Report



Prepared For The Environmental Assessment

Submitted Pursuant to 42 U.S.C. 4332 (2)(c), 23 U.S.C 138 and 23 CFR 771 by:

and

U.S. Department of Transportation Federal Highway Administration



Maine Department of Transportation



June 2003

CONTENTS

		<u>Page</u>
Figu	ıres	ii
lab	les	iii
Stu	dy Specific Acronyms and Abbreviations	iv
Star	ndard Acronyms and Abbreviations	V
Star	ndard Terms	vi
1.	Introduction	1-1
2.	Inventory of Existing Natural Resources within the Study Area	2-1
	2.1 Wetlands	2-1
	2.2 Groundwater, Surface Water, Floodplain Resources and	
	Wellhead Protection Districts	2-6
	2.3 Threatened and Endangered Species	2-12
	2.4 Wildlife Habitat	
	2.5 Aquatic Habitat	
	2.6 Vegetative Communities	
	2.7 Prime & Unique Farmland	
	2.8 Soils and Geology	
	endix A	
וטום	iography	

FIGURES

		Page
1-1:	Study Area Map	1-2
2-1:	Study Area Wetlands	. 2-3
2-2:	Wetlands Within Alternative Alignments	2-4
2-3:	Water Resources	2-10
2-4:	Surface Water	2-11
2-5:	Threatened and Endangered Species	2-13
2-6:	Vegetation Coverage Map	2-19
2-7:	Prime and Unique Farmland	2-22
2-8:	Soils and Surficial Geology	2-25

TABLES

		Page
2-1:	Wetland Classes and Acreage Within Study Area	2-5
2-2:	Prime Farmland Soils Within the Study Area	.2-21

Study Specific Acronyms and Abbreviations

Bo - Biddleford silt loam

CBEP – Casco Bay Estuary Project

CWA -Clean Water Act of 1972

DWP – Drinking Water Act

L1UB - Lacustrine Unconsolidated Bottom

L1UBx - Lacustrine, Limnetic, Unconsolidated Bottom

L2UB - Lacustrine, Littoral, Unconsolidated Bottom

MGS - Maine Geological Survey

On – Ondawas fine sandy loam

PSS1 - Palustrine, Scrub Shrub Deciduous

R2 – Riverine Lower Perennial

R2UB - Riverine, Lower Perennial, Unconsolidated Bottom

Ru - Rumney fine sandy loam

SDWA - Safe Water Drinking Act of 1974

Sn – Scantic silt loam

Sp – Sebago mucky peat

Sz - Swanton fine sandy loam

Standard Acronyms and Abbreviations

AADT – Annual Average Daily Traffic

AASHTO - American Association of State Highway and Transportation Officials

ac - acre

ACHP – Advisory Council on Historic Preservation

ACOE – United States Army Corps of Engineers

AFDC – Aid to Families with Dependent Children

ARAN – Automatic Road Analyzer

ATR - Automatic Traffic Recorder

ATV – All Terrain Vehicle

B/C – Benefit/Cost Ratio

BMP – Best Management Practice

BTIP – Biennial Transportation Improvement Program

CAAA - Clean Air Act Amendments of 1990

CAL3QHC – EPA's Modeling Methology for Predicting Pollutant Concentrations near Roadway Intersections

CBER – Center for Business and Economic Research

CEQ – Council on Environmental Quality

CERCLIS – Comprehensive Environmental Response, Compensation and Liability Information System

CFR - Code of Federal Regulations

CO - Carbon monoxide

CRF – Critical Rate Factor

dBA – Loudness (sound pressure level) measured on a logarithmic scale in units of decibels (dB), using an A-weighted filter

DEIS – Draft Environmental Impact Statement

DHV – Design Hour Volume

E & T Plant List Maine Natural Area Program – Official List of Endangered and Threatened Plants in Maine

EA – Environmental Assessment

EFH - Essential Fish Habitat

EIS – Environmental Impact Statement

EPA –U.S. Environmental Protection Agency

FEIS - Final Environmental Impact Statement

FEMA – Federal Emergency Management Agency

FHWA – Federal Highway Administration

FIRM - Flood Insurance Rate Map

FONSI - Finding of No Significant Impact

FMVECP - Federal Motor Vehicle Emission Control Program

FPPA – Farmland Protection Policy Act

ft - feet

GIS – Geographic Information Systems

GRP – Gross Regional Product

GW-A – Groundwater A

ha - hectare

HCAMP – Habitat Consultation Areas Mapping Program

HCL – High Crash Location

km - kilometer

kph – kilometers per hour

LAWCON – Land and Water Conservation Fund

Leq – One-hour equivalent sound level

LMA - Labor Market Area

LOS - Level of Service

LURC – Maine Land Use Regulation Commission

m - meters

MASC - Maine Atlantic Salmon Commission

MBPL - Maine Bureau of Parks and Lands

MDEP - Maine Department of Environmental Protection

MDIF&W - Maine Department of Inland Fisheries and Wildlife

MDOC – Maine Department of Conservation

MDOT – Maine Department of Transportation

MDWP – Maine Drinking Water Program

ME-GAP - Maine Gap Analysis Program

MHPC - Maine Historic Preservation Commission

mi -miles

MNAP - Maine Natural Areas Program

MOA – Memorandum of Agreement

MOBILE5b - Mobile Source Emission Factor Model

mph - miles per hour

MPO - Metropolitan Planning Organization

M.R.S.A. – Maine Revised Statutes Annotated

MSA - Metropolitan Satisticical Area

MSPO – Maine State Planning Office

NAAQS - National Ambient Air Quality Standards

NAC - Noise Abatement Criteria

NEPA – National Environmental Policy Act

NFIP - National Flood Insurance Program

NHPA – National Historic Preservation Act

NHS - National Highway System

NMFS - National Marine Fisheries Service

NO - Nitric Oxide

NOx – Nitrogen Oxides

NO2 - Nitrogen Dioxide

NPL – National Priority List

NPS – Nonpoint source

NPS - National Park Service

NRCS - Natural Resources Conservation Service

NRHP - National Register of Historic Places

NRIMC - Natural Resource and Information Mapping Center

NRPA - Maine Natural Resources Protection Act

NWI - National Wetlands Inventory

OD – Origin-Destination

OGIS - Maine Office of Geographic Information Systems

ORS – Outstanding River Segment

PAC – Public Advisory Committee

PEM – Palustrine Emergent Wetland

PFO - Palustrine Forested Wetland

PIN - Project Identification Number

PLT -- Plantation

ppm - parts per million

PSS - Palustrine Scrub-Shrub Wetland

PUB – Palustrine Unconsolidated Bottom

RCRA – Resource Conservation and Recovery Act

REMI - Regional Economic Models, Inc. of Amherst, MA

ROD – Record Of Decision

RTAC - Regional Transportation Advisory Committee

S.A.D. - School Administrative District

SCS – Soil Conservation Service (now the NRCS)

SHPO – State Historic Preservation Officer

SIP - State Implementation Plan

SSA – Sole Source Aquifer

STPA - Maine's Sensible Transportation Policy Act

STIP – Statewide Transportation Improvement Program

SWPPP – Stormwater Pollution Prevention Plan

T15 R4 – Township 15 Range 4 (example, numbers used vary)

TCP – Traditional Cultural Property

TDM – Transportation Demand Management

TIP – Transportation Improvement Program

TNM – Traffic Noise Model

TSM - Transportation Systems Management

Twp - Township

USA – United States of America

U.S.C. - United States Code

USDA – United States Department of Agriculture

USFWS - United States Fish and Wildlife Service

USGS – United States Geological Survey

USDOT – United States Department of Transportation

v/c - volume/capacity ratio

VOCs – Volatile Organic Compounds

vpd - vehicles per day

VHT – Vehicle-Hours Traveled

VMT – Vehicle-Miles Traveled

WELS – West of the easterly line of the state (this term is part of naming the unorganized townships of the State)

WPA - Wellhead Protection Area

Standard Terms

85th **Percentile Speed** – The 85th-percentile speed is the speed at which eighty-five (85) percent of the vehicles on a given highway travel at or below. The most common application of the value is its use as one of the factors for determining the posted, legal speed limit of a highway section. In most cases, the field measurements for the 85th-percentile speed will be conducted during off-peak hours.

100-Year Floodplain – The portion of the floodplain submerged by the statistical flood event with a 1 percent probability of occurring in any year.

Activity center – Activity centers are generally defined as areas that generate economic activity or areas that support a major industry. Houlton, Presque Isle, Caribou and Madawaska are the largest economic activity centers in Aroostook County and are important regional transportation resources. Industrial parks and major trucking generators in Mars Hill, Easton, Ashland, Limestone, Fort Fairfield, Fort Kent, and Van Buren are other important activity centers within Aroostook County.

Additional Farmland Soils of Statewide Importance – Soils that are nearly Prime Farmland and that produce high yields of crops when treated and managed according to acceptable farming methods (see definition of "Prime Farmlands" below).

Advisory Council on Historic Preservation (ACHP) – The major policy advisor to the Federal government in the field of historic preservation. The 20 members of the Council are appointed by the President and include the Secretary of Agriculture, the Secretary of the Interior, the Architect of the Capitol, the chairman of the National Trust for Historic Preservation, and the president of the National Conference of State Historic Preservation Officers.

Alkaline - With a pH value greater than 7: generally applied to soils and surface water.

Alkalinity - A measure of the capacity of water to neutralize acid. Alkalinity is primarily a function of bicarbonate, carbonate, and hydroxide ions and is typically expressed in parts per million (ppm) of calcium or magnesium ions.

Annual Average Daily Traffic (AADT) – The total yearly traffic volume on a given highway segment divided by the number of days in the year. AADT is expressed in vehicles per day (vpd).

Aquifer – Rock or sediment that is saturated with water and sufficiently permeable to transmit economically significant quantities of water to wells and springs.

Archaeological resources – Materials and objects that remain below the ground surface as evidence of the life and culture of historic, prehistoric, or ancient people, such as artifacts, structures, or settlements. Resources of concern are located in areas known or suspected to contain subsurface artifacts of pre-european or post-european settlement populations. Areas of expected moderate to high archaeological sensitivity according to various factors including present and past topography, exposure, slope, distance to water, and availability of food.

Archaeologically Sensitive Shorelines – Shores of waterbodies determined by the Maine Historic Preservation Commission (MHPC) to be likely to yield prehistoric artifacts, based on a predictive model using topography, hydrology, and surficial soil types to assess sensitivity.

Archaeologically Sensitive Surficial Deposits – Land forms that are likely locations of prehistoric settlements or gathering places, based on a MHPC predictive model that uses surficial geology (waterbodies, alluvium, lake bottom deposits, glacial outwash, and eskers) to assess sensitivity.

Army Corps of Engineers (ACOE) – A federal agency that administers Section 404 of the Clean Water Act and Section 10 of the Rivers and Harbors Act; its regulatory programs address wetlands and waterways protection.

Arterials – Roads with high traffic volumes that provide linkage between major cities and towns and developed areas, capable of attracting travel over long distances. Basically, they provide service to interstate and intercounty travel demand. The arterial system typically provides for high travel speeds and the longest trip movements. The degree of access control on an arterial may range from full control (freeways) to entrance control on, for example, an urban arterial through a densely developed commercial area.

At-grade –The intersection of two roads, or a road and a railway, that cross at the same elevation.

At-Risk Watershed – Watersheds contributing to waterbodies that are at risk of eutrophication due to new development and phosphorus-laden runoff. These waterbodies include public drinking water supplies and waters that currently exhibit algal blooms or other signs of eutrophication. At-risk watersheds are defined according to criteria in Maine's Stormwater Law (5 M.R.S.A. § 3331).

Attainment area – A geographic area in which levels of a criteria air pollutant meet the health-based primary standard (National Ambient Air Quality Standard) for the pollutant. Attainment areas are defined using federal pollutant limits set by the U.S. Environmental Protection Agency.

Avian – Refers to all things of, relating to, or derived from birds

Basaltic – A dark-colored extrusive igneous rock composed chiefly of calcium plagioclase and pyroxene that underlies the oceanic basins and comprises oceanic crust.

Best Management Practice (BMP) – A structural and/or management practice employed before, during and after construction to protect receiving water quality. These practices either provide techniques to reduce soil erosion or remove sediment and pollutants from surface runoff.

Biodiversity –The diversity of genes, species, and ecosystems. This term includes the entire hierarchy of ecological organization, and encompasses regional ecosystem diversity (landscape diversity), local ecosystem diversity (community diversity), species diversity, and genetic diversity within populations of a species.

Biophysical region – A relatively homogeneous area based on analysis of topography, climate, and species richness of vertebrates and plants.

Business incubator – A facility intended to provide space and resources for newly-formed businesses.

Calcareous pelite – A fine-grained sedimentary rock consisting mostly of clay and/or silt that has an abundance of calcium carbonate.

Cambrian – The first geologic time period of the Paleozoic Era. The Cambrian period spanned from approximately 590 to 505 million years ago.

Carbon monoxide (CO) – A colorless, odorless, tasteless gas formed in large part by incomplete combustion of fuel. Full combustion activities (i.e. transportation, industrial processes, space heating, etc.) are the major sources of CO.

Collector Roads – Roads characterized by a roughly even distribution of their access and mobility functions. These routes gather traffic from local roads and streets and deliver it to the arterial system. Traffic volumes and speeds will typically be lower than those of arterials.

Community Cohesion – The interactions among persons and groups in a community, including social relationships and patterns.

Community Supply – A public water system that is comprised of one or multiple wells or reservoirs that serves at least 25 residents throughout the year.

Conglomerate – A clastic sedimentary rock composed of lithified beds of rounded gravel mixed with sand.

Controlled-Access Highway – A highway that provides limited points of access and egress. Freeways, such as I-95, are controlled access highways in which access points occur only at interchanges. These highways serve mobility needs, and are designed to accommodate higher travel speeds.

Cost effectiveness – In the context of this study, cost effectiveness is an economic measure used to evaluate and compare the corridors in this study. Cost effectiveness is defined as the present value of the 2030 gross regional product (GRP) growth per dollar of construction cost. In this way, cost effectiveness compares the relative future economic benefits against the size of the investment required to generate those benefits.

Cumulative impacts – The impacts on the environment that result from the incremental impact of a project when added to other past, present, and reasonable foreseeable future actions regardless of what agency or person undertakes such other actions.

Daily traffic volume – The number of vehicles that use a given roadway over a 24-hour period in both directions.

dBA –An abbreviation for A-weighted decibel. The decibel is a unit used to describe sound pressure levels on a logarithmic scale. For community noise impact assessment, an A-weighted frequency filter is used to approximate the way humans hear sound.

Deciduous – Refers to woody vegetation, such as oak or maple trees, that shed their leaves after the growing season.

Deer Yard – Areas of softwood-dominated forest that provide food resources and shelter for deer during severe winter conditions.

Demand – Vehicular traffic demand (volume) on a given highway segment, expressed in vehicles per day (vpd).

Demand shift – The change in demand (volume) on a given highway segment, expressed in vehicles per day (vpd). Demand shifts can be caused by new corridors that provide a faster and/or shorter travel route.

Design Hourly Volume (DHV) – The hour used for geometric design of highways, typically the 30th highest traffic volume of the year.

Design speed – The maximum safe speed that can be maintained over a specified section of highway when conditions are so favorable that the design features of the highway govern. The design speed should equal or exceed the posted/regulatory speed limit of the facility.

Development node – An area that has experienced or is expected to experience development and a resulting growth in employment and/or population.

Devonian – The oldest period of the Upper Paleozoic Era, covering a time span between approximately 400 and 360 million years ago.

Disadvantaged Population – A group of people, living in one area, who have a median income below the federal poverty level, or who exhibit other indicators of economic disadvantage.

Dolostone – A carbonate rock made up predominantly of the mineral dolomite, CaMg (CO₃)₂.

Draft Environmental Impact Statement (DEIS) – The document prepared by the Federal Highway Administration (FHWA) in accordance with FHWA National Environmental Policy Act (NEPA) regulations (23 CFR Part 771). These regulations require that the EIS evaluate all reasonable alternatives considered, discuss the reasons that alternatives have been eliminated from detailed study, summarize the studies, reviews, consultations, and coordination required by environmental laws and Executive Orders.

Driver eye height – The height above the road of the eyes of vehicle drivers, a function of the seating height, and important in stopping sight distance considerations.

Ecoregion - An area defined by similar climate, topography, and biological communities.

Edge effect – The potential impacts to natural plant and animal communities that result from the creation of new edge habitat, which may include increased predation, decreased reproductive success, and changes in community composition.

Edge habitat – An area along a transitional zone between two or more vegetation cover types that provides feeding, breeding, nesting, or cover habitat for wildlife.

Endangered Species – Any species which is in danger of extinction throughout all or a significant portion of its range.

Environmental Assessment (EA) – The document prepared by the Federal Highway Administration (FHWA) in accordance with FHWA National Environmental Policy Act (NEPA) regulations (23 CFR Part 771). The EA provides sufficient evidence of analysis that determines whether to prepare an Environmental Impact Statement or a Finding of No Significant Impact. The environmental assessment includes documentation specified in 40 CFR parts 1500-1508, §1508.9 and §1508.13.

Environmental Justice – Executive Order 12898 requires each federal agency to "make achieving environmental justice part of its mission by identifying and addressing... disproportionately high and adverse human health or environmental impacts on minority populations and low-income populations."

Esker – An elevated linear or sinuate glacial landform resulting from deposition of glacial streambed gravels.

Essential Fish Habitat (EFH) – Those waters and substrate necessary to fish for spawning, breeding, feeding, or growth to maturity, as defined by the regional Fishery Management Council.

Eutrophication – Change in the biological and physical characteristics of a body of water due to increased nutrient input that result in increased productivity. Eutrophication may occur naturally or through man-induced changes in nutrient inputs.

Farmland Protection Policy Act (FPPA) – A statute enacted in 1981 by the United States Congress to ensure that significant agricultural lands be protected from conversion to non-agricultural uses. For highway projects receiving federal aid, the regulations promulgated under the FPPA (7 CFR Part 658, 1984) require a state highway authority (MDOT) to coordinate with the USDA Natural Resources Conservation Service. The FPPA regulates four types of farmland soils; prime farmland, unique farmland, farmland of state-wide importance, and farmland of local importance.

Farmland Soils – Soils suited to producing crops; those with soil quality, growing season and moisture supply needed to produce a sustainable yield when treated and managed using acceptable methods. Specifically, farmland soils are those soil types designated by the Natural Resources Conservation Service (NRCS) in accordance with the Farmland Protection Policy Act (FPPA) of 1981 by the United States Department of Agriculture (USDA).

Federal Emergency Management Agency (FEMA) – A federal agency that regulates federal actions in floodplains.

Federal Highway Administration (FHWA) – The branch of the U.S. Department of Transportation responsible for administering the funding of federal-aid highway projects.

Federal-Aid System – The federal-aid system consists of those routes within Maine that are eligible for the categorical federal highway funds.

Felsic – A generally light-colored igneous rock with significant amounts of silica, oxygen, aluminum, and potassium.

Final Environmental Impact Statement (FEIS) – The document prepared after circulation of a draft EIS and consideration of comments received. FHWA NEPA regulations (23 CFR Part 771.125) require that the FEIS identify a preferred alternative, evaluate all reasonable alternatives considered, discuss and respond to substantive comments on the EIS, summarize public involvement, and describe the mitigation measures that will be incorporated into the proposed action.

Floodplain - The level area adjoining a river channel inundated during periods of high flow.

Floodway – The channel of a stream, plus any adjacent floodplain areas, that must be kept free of encroachment in order that the 100-year flood is carried without substantial increases in flood heights.

Forest block – Units of forest uninterrupted by roadways or other disturbance.

Fragmentation – Subdivision of a forest or other habitat into isolated patches by roads, land clearing, or other human or natural alterations of the landscape, accompanied by the loss of a certain portion of the original habitat.

Freeways – The freeway (or interstate) is the highest level of arterial. Full control of access, high design speeds and a high level of driver comfort and safety characterize these highways.

Functional Conflict – Highways provide a balance between providing access (with multiple access points) and mobility (with limited access points). Freeways are designed to maximize mobility and serve regional traffic demands as opposed to local roads (or collectors) that provide multiple access points to adjacent land uses (residences or businesses). Functional conflicts arise when regional traffic that would be better served on a Freeway uses local roads.

Geographic Information System (GIS) – A computer-based application used to perform spatial analysis.

Geometric deficiency - A deficiency that occurs when a highway's geometric characteristics (lane width, shoulder width, horizontal curvature, vertical grade, etc.) do not meet prevailing design standards.

Glacial outwash – Surficial sand and gravel sediments deposited ahead of a glacier by glacial meltwater.

Glacial till – Compact surficial sediments consisting of poorly sorted, mixed minerals and rocks, deposited by melting glaciers.

Grade – The slope of a road along the direction of travel, normally characterized by the vertical rise per unit of longitudinal distance.

Grade separation – The intersection of two roads, or a road and a railway, that cross at different elevations. One roadway overpasses or underpasses the other roadway with a structure(s).

Gross Regional Product (GRP) – Gross Regional Product is one of the major economic indices of the socio-economic development of a region. GRP is equal to the total of added values in the regional economic industries, estimated as a difference between production and intermediate consumption.

Groundwater Recharge Protection Areas – Areas of land designated by water resource agencies that rainwater or snowmelt percolates and replenish the underlying aquifer in the area of a public well. These areas require special protection because they directly affect the quality and safety of the public drinking water supply.

GW-A – The highest groundwater classification in Maine. GW-A is applied to water suitable for direct human consumption without treatment.

Habitat Consultation Areas Mapping Program (HCAMP) – A cooperative program of the MDIF&W and MNAP to provide mapping showing the areas of state-listed endangered and threatened animals and plants.

Herpetofauna – Refers to reptile and amphibian species.

High Crash Location (HCL) – A High Crash Location is an intersection or highway segment that experiences an abnormally high number of accidents relative to the traffic demands that are served. For the State of Maine, the Maine Department of Transportation identifies HCLs.

Highway Reconstruction/Rehabilitation – Reconstruction of an existing highway is undertaken when the pavement structure or alignment of the existing facility is deficient. Reconstruction includes removal and replacement of the entire pavement structure, significant changes in the vertical or horizontal alignment, or addition of lanes. Rehabilitation includes

resurfacing and other minor repairs intended to extend the service life of the existing facility and enhance highway safety.

Historic resources – Properties, structures and districts that are listed in or have been determined to be eligible for listing in the National Register of Historic Places.

Hourly traffic volume – The number of vehicles that use a given road over a 1-hour period.

Hydric soils – Soils that are saturated, flooded, or ponded long enough during the growing season to develop at least temporary conditions where there is no free oxygen in the soil around the roots. Hydric soils correspond to federally and state regulated wetlands in many circumstances.

Hydrologic regime – The frequency and duration of inundation or soil saturation of a given area.

Impacted Receiver – A condition that exists if sound levels approach or exceed the Noise Abatement Criteria (NAC) or a 15-decibel (dBA) increase in ambient noise levels.

Impervious surface – Relating to hydrology. A surface through which precipitation cannot penetrate, causing direct runoff or perching (examples include asphalt paving roofs, and densely compacted gravel).

Interstate - A freeway-type highway that is part of the National Highway System.

Interstate Highway System – The network of Interstate Highways established by the Federal-Aid Highway Act of 1956. The statute established a 41,000-mile network of controlled-access highways (expanded to 42,000 miles by legislation in 1968) intended to connect all metropolitan areas with populations greater than 50,000 and all state capitals.

Just-In-Time Delivery – Commercial deliveries that arrive immediately prior to their use. Just-in-time deliveries help producers minimize storage or warehousing space.

Kettle - A depressional glacial landform resulting from a melting block of ice embedded in till.

Labor Market Area (LMA) – Labor market areas are regional areas with a high concentration of employment opportunities. These are economically integrated units within which workers may readily change jobs without changing their place of residence.

Lacustrine - Of and related to lakes.

Land and Water Conservation Fund – A system for funding Federal, State and local parks and conservation areas, created by the Land and Water Conservation Fund Act of 1964.

Limited-Access facility – A highway where access to abutting properties is restricted or limited by control of the right-of-way.

Link - A new or existing highway segment between two defined end-points.

Lithic sandstone (graywacke) – A variety of sandstones characterized by angular-shaped grains of quartz and feldspar and small fragments of dark rock set in a matrix of finer particles.

Local Roads and Streets – All public roads and streets not classified as arterials or collectors will have a local classification. Local roads and streets are characterized by many points of direct access to adjacent properties and have relatively minor role in accommodating mobility. Speeds and traffic volumes are usually low.

Mafic – A generally dark-colored igneous rock with significant amounts of one or more ferromagnesian minerals, or formed from a magma with significant amounts of iron and magnesium.

Magnuson-Stevens Fishery Conservation and Management Act – Legislation (16 U.S.C. 1855(b)) governing all fisheries resources within 320 kilometers (200 miles) of the U.S. coast that established regional Fishery Management Councils and required the preparation of Fisheries Management Plans.

Maine Highway Design Guide – A tool developed by the Maine Department of Transportation that provides guidance for the design of roads and highways in the State of Maine in addition to the Federal Highway Administration design criteria.

Maine Land Use Regulation Commission (LURC) – Title 12, M.R.S.A, Chapter 206 –A Commission established by Title 12, M.R.S.A., Chapter 206 to administer the Land Use Regulation Law (12 M.R.S.A. § 681) by preparing land use standards prescribing standards for the use of air, lands and waters within the plantations and unorganized townships of Maine.

Maine's Sensible Transportation Policy Act (STPA) – Maine's Sensible Transportation Policy Act is a state law enacted in 1991 by the citizens of Maine that provides a decision making framework for examining a range of alternatives. The STPA is applicable to transportation planning decisions, capital investment decisions, and project selection decisions made by the Maine Department of Transportation (MDOT).

Maine State Design Standards – State adopted (February 1997) travelway and shoulder design width criteria for non-National Highway System facilities.

Major Collector Road – Collector Roads that tend to serve higher traffic volumes than other Collector Roads. Major collector roads typically link arterials. Traffic volumes and speeds will typically be lower than those of Principal Arterials.

Mesoscale air quality analysis – A regional-level analysis of air for chemical constituents

Metamorphosed – With respect to rock, a rock formation that has been altered by the action of heat and pressure.

Microscale air quality analysis – An analysis of air for chemical constituents, typically conducted for a small study area such as an intersection.

Mill Rate - The property tax rate, per \$1,000 of assessed value.

Minor Arterial – Minor arterials are highways that tend to link Collector Roads to Principal Arterials and serve lower traffic volumes than typical arterials. Minor Arterials are also typically designed at lower travel speeds than Principal Arterials.

Mitigation - Actions that avoid, minimize, or compensate for potential adverse impacts.

Multi-modal service – The act of providing alternative modes or choices of transportation service, such as bus, rail, taxi, etc.

National Ambient Air Quality Standards (NAAQS) – The prescribed level of pollutants in the outside air that cannot be exceeded during a specified time in a specified geographic area.

National Environmental Policy Act of 1969, as amended (NEPA) – The federal legislation that requires an interdisciplinary approach in planning and decision-making for federal-aid actions. The Act includes requirements for the contents of environmental impact statements

that are to accompany every recommendation for major federal actions significantly affecting the quality of the human environment. The interdisciplinary study approach includes the analysis of potential impacts to the natural, social and economic environment.

National Highway System (NHS) – The National Highway System is a system of those highways determined to have the greatest national importance to transportation, commerce and defense in the United States. It consists of the Interstate highway system, logical additions to the Interstate system, selected other principal arterials, and other facilities that meet the requirements of one of the subsystems within the NHS.

National Historic District – An area, comprising numerous buildings and their setting, identified as historic in the National Register of Historic Places.

National Priority List (NPL) – The "Superfund" statute (42 U.S.C. Sect. 9601) requires the EPA to establish a National Priorities List of sites which are to be given top priority consideration for removal of hazardous substances and remedial action.

National Register of Historic Places – A list of structures, sites and districts of national historical significance as determined by the Advisory Council on Historic Preservation under the National Historic Preservation Act.

National Wetlands Inventory (NWI) – A program administered by the U.S. Fish and Wildlife Service for mapping and classifying wetland resources in the United States.

Natural Resources Conservation Service (NRCS) – Formerly the Soil Conservation Service, NRCS is a department within the United State Department of Agriculture that is responsible for administering the Farmland Protection Policy Act.

New Location Highway – A highway proposed to be constructed on land not currently used for transportation facilities.

Nitrogen Oxides (NOx) – Nitric oxide (NO) and Nitrogen dioxide (NO2) are collectively referred to as oxides of nitrogen (NOx). NO forms during high temperature combustion process. NO2 forms when NO further reacts in the atmosphere. NOx reacts with the sunlight to form ozone, a colorless gas associated with smog or haze conditions. Ozone is a pollutant regulated by the Clean Air Act Amendments of 1990.

Noise abatement criteria (NAC) – Noise levels measured in decibels that are used as a basis of comparison for evaluating the impact from predicted design year noise and for determining whether noise abatement measures should be considered.

Noise abatement measures – Actions that reduce traffic noise impacts. Noise abatement measures can be traffic management measures, alteration of horizontal and vertical alignments, acquisition of property rights for construction of noise barrier, construction of noise barriers, acquisition of real property or interest for buffer zones, or noise insulation of public use or nonprofit institutional structures.

Noise receptor – Locations that may be affected by noise: sensitive receptors include residences, parks, schools, churches, libraries, hotels, and other public buildings.

Non-Community Supply – A public water system that serves at least 25 persons at least 60 days out of the year and is not a community or a seasonal water system.

Non-Point Source pollution (NPS) – Pollution of waterbodies that does not originate at a single specific source such as an industrial discharge or discharge from a wastewater treatment

plant. Sources of non-point pollution include runoff from highways, agricultural fields, golf courses, and lawns.

Other Principal Arterial – Highways that provide access between arterials and a major port, airport, public transportation facility or other Intermodal transportation facility. Other Principal Arterials tend to serve lower traffic demands than Principal Arterials.

Outstanding River Segment (ORS) – A section of a river or stream designated by the Maine Natural Resources Protection Act (12 M.R.S.A. § 403) for protection because of the special resource values of its flowing waters and shorelines.

Ozone – A gas which is a variety of oxygen. Ozone is a pollutant regulated by the Clean Air Act Amendments of 1990. Ground-level ozone is the main component of smog. Ozone is not directly emitted by motor vehicles, but is formed when oxides of nitrogen react with sunlight.

Palustrine – The group of vegetated wetlands traditionally called by such names as marsh, swamp, bog, fen, and prairie. Palustrine wetlands may be situated shoreward of lakes, river channels, or estuaries; on river floodplains; in isolated catchments; or on slopes.

Palustrine Forested Wetland (PFO) – A palustrine wetland dominated by trees, commonly referred to as a swamp.

Palustrine Emergent Wetland (PEM) – A palustrine wetland dominated by herbaceous species, typically cattails, sedges and grasses, commonly referred to as a marsh.

Palustrine Scrub-Shrub Wetland (PSS) - A palustrine wetland dominated by shrubs.

Passing Sight Distance – The distance a passing vehicle on a two lane road will travel during a passing movement, plus an equal distance that an oncoming vehicle will travel during that time, plus a clearance distance or safety factor.

Peak hour – The hour of the day when traffic volume on a given roadway is highest. A separate peak hour can be defined for morning and evening periods.

Peak hour volume – The traffic volume that occurs during the peak hour, expressed in vehicles per hour (vph). Peak hour volumes are typically 10 to 15 percent of daily volumes.

Peak Hour Leq – Represents the noisiest hour of the day/night and usually occurs during peak periods of motor vehicle traffic. The Leq is the equivalent sound level measurement, which means it averages background sound levels with short-term transient sound levels and provides a uniform method for comparing sound levels that vary over time.

Posted speed limit – The speed posted for a facility based on engineering and traffic investigation.

Prehnite – A silicate mineral that forms in the cavities of basaltic rocks, low temperature hydrothermal fissures, and in limestone.

Primary/direct impacts – The immediate effects on the social, economic, and physical environment caused by the construction and operation of a highway; these impacts are usually experienced within the right-of-way or in the immediate vicinity of the highway or other element of the proposed action.

Prime Farmland Soil – Soil map units that are designated by the Natural Resources Conservation Service as having the properties needed to produce sustained high yield crops when managed with modern farming techniques.

Principal Arterials – Highways in rural and urban areas that connect urban areas, international border crossings, major ports, airports, public transportation facilities or other Intermodal transportation facilities.

Pumpellyite – A silicate mineral, closely related to epidote that forms in pelitic and dolomite rocks.

Rare and Exemplary Natural Community – An assemblage of interacting plants and animals and their common environment, recurring across the landscape, in which the effects of recent human interference are minimal. Rare natural communities are those which occur infrequently. Exemplary natural communities are exceptional representatives of more common natural communities.

RCRA Generator – An entity that produces hazardous waste regulated under the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. sect. 6901), which mandates the appropriate identification, tracking, and disposal of hazardous waste.

Record of Decision (ROD) – The document, prepared by the Federal Highway Administration, that presents the basis for the Federal agency action, summarizes any mitigation measures to be incorporated, and documents any required Section 4(f) approvals. No Federal agency action may be undertaken until a Record of Decision has been signed. A Record of Decision is prepared no sooner than 30 days after the public release of the FEIS.

Relocations – The displacement of a residence, business or other structure from a property owner, for public use, that requires the residents or business to be moved to an alternate location.

REMI Model – The REMI Model (Regional Economic Models Inc.) is a widely used and accepted econometric model maintained and updated by the Center for Business and Economic Research at the University of Southern Maine.

Riparian – An area of land that encompasses and is contiguous to a stream or other water body.

Riverine – Of and relating to rivers.

Safety deficiency – In the context of this study, a safety deficiency is a highway segment or intersection that contains a high crash location (HCL).

Secondary impacts – Impacts that are caused by the proposed action and are later in time or farther removed in distance, but are still reasonably foreseeable; secondary impacts may include induced changes to land use patterns, population density or growth rate, and related effects on natural systems, including ecosystems.

Section 10 of the Rivers and Harbors Act of 1899 (Section 10) – Legislation (33 U.S.C. Section 403) that resulted in a permit being required from the Army Corps of Engineers for projects requiring construction in or over navigable waters, the excavation from or dredging or disposal of materials in such waters, or any obstruction or alteration in a navigable water (e.g. stream channelization).

Section 106 of the Historic Preservation Act (Section 106) – The National Historic Preservation Act of 1966 (16 U.S.C. 470f), Section 106, requires Federal agencies to take into account the effect of their undertakings on properties included in or eligible for inclusion in the National Register of Historic Places and to afford the Advisory Council on Historic Preservation the opportunity to comment on such undertakings.

Section 4(f) of the Department of Transportation Act of 1966 (49 U.S.C., Section 303) (Section 4(f)) – Legislation protecting publicly owned parks, public recreation areas, historic properties or wildlife and waterfowl refuges. The statute states that no Department of Transportation project may use land from these areas unless there is demonstrated to be no prudent and feasible alternative to using the land, and the project includes all possible planning to minimize harm resulting from the use.

Section 404 of the Clean Water Act (Section 404) – The Federal Water Pollution Control Act Amendments of 1972 (33 U.S.C. 401 et seq.) is the enabling legislation for protection of waters of the United States by the Army Corps of Engineers and the U.S. Environmental Protection Agency.

Section 6(f) of the Land and Water Conservation Funds Act (Section 6(f)) — Legislation that provides for the public purchase and preservation of tracts of land.

Sight distance – The distance that a driver can see along the roadway before curvature or obstructions block the view.

Significant Sand and Gravel Aquifer – A porous formation of ice-contact and glacial outwash sand and gravel that contains significant removable quantities of water which is likely to provide drinking water supplies.

Significant Wildlife Habitat – Wildlife habitats, including deer wintering yards, waterfowl and wading bird habitat, seabird nesting habitat, and significant vernal pools, that are protected under 38 M.R.S.A. § 480-B.

Silurian – The third geologic time period of the Paleozoic. The Silurian period lasted from approximately 438 to 408 million years ago.

Sole Source Aquifer (SSA) – An aquifer designated by EPA as the "sole or principal source" of drinking water for a given aquifer service area; that is, an aquifer that is needed to supply 50% or more of the drinking water for that area and for which there are no reasonably available alternative sources should the aquifer become contaminated.

State Implementation Plan (SIP) – A plan created under The 1990 Clean Air Act Amendments (CAAA) that establishes emission reduction requirements for ozone and carbon monoxide non-attainment areas. Proposed projects must demonstrate that the impacts of their emissions are consistent with the appropriate SIP.

Stormwater Pollution Preservation Plan (SWPPP) – A plan required for major construction projects under the EPA's National Pollutant Discharge and Elimination System (NPDES) general permit for construction activities. The SWPPP is required to address measures to prevent erosion, sedimentation, and other potential discharges of pollutants to water bodies and wetlands.

Stormwater runoff – The portion of precipitation that flows toward stream channels, lakes, or other waterbodies as surface flow.

Surface Water Supply Watershed – The watershed that contributes to a public drinking water supply.

System compatibility – System compatibility describes how well alternatives, either new highways or upgrades, fit into the existing highway network and the planned transportation improvement plan.

System continuity – System continuity is defined by how often the existing highways transition between wide, higher speed segments to narrow, low speed segments.

Threatened Species – Any species which is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range.

Traditional Cultural Property (TCP) – A property or site that is eligible for inclusion in the National Register of Historic Places because of its association with cultural practices or beliefs of a living community that are rooted in that community's history and are important to maintaining the continuing cultural identity of the community.

Traffic generator – Any business, government office, or place of employment or destination that generates or attracts traffic.

Transportation deficiencies – A highway related facility that is unable to safely and efficiently satisfy travel demands because of the intensity of traffic volumes, capacity, and/or safety.

Transportation Demand Management (TDM) – A system of actions whose purpose is to alleviate traffic problems through improved management of vehicle trip demand as opposed to adding new highway segments.

Transportation Improvement Program (TIP) – A staged multiyear program of transportation projects funded by the Federal Highway Administration and Federal Transit Administration.

Transportation Systems Management (TSM) – Relatively low cost measures to increase capacity and/or provide safety improvements on the existing transportation system. These measures typically include traffic signal timing or phasing adjustments, designation of turning lanes at specific intersection or driveways, access management improvements, and enhanced signage or markings.

United States Department of Agriculture (USDA) – A federal agency responsible for administering programs that address farming issues

United States Environmental Protection Agency (EPA) – A federal agency responsible for administering programs that address environmental issues.

United States Fish and Wildlife Service (USFWS) – A federal agency responsible for addressing the protection of fish and wildlife including rare, threatened, or endangered species. The USFWS plays an advisory role in the Section 404 regulatory program administered by the U.S. Army Corps of Engineers.

Upgrade - A geometric improvement to an existing highway segment.

Upper Devonian – The Devonian Period, which lasted from approximately 408 to 360 million years ago, contains three epochs. The Upper Devonian Epoch lasted from approximately 365 to 360 million years ago.

Vegetation cover type – A biological community characterized by certain vegetation characteristics, such as hardwood forest, mixed forest, shrub, herbaceous, and urban or residential managed vegetation.

Vehicle-Hours Traveled (VHT) – VHT is a measure of automobile use and trip time. One vehicle traveling one hour constitutes one vehicle-hour.

Vehicle-Miles Traveled (VMT) – VMT is a measure of automobile use and trip length. One vehicle traveling one mile constitutes one vehicle-mile.

Vernal pool – A temporary pool of surface water that provides breeding habitat for certain amphibian and invertebrate species.

Volatile Organic Compounds (VOCs) – Colorless gaseous compounds originating, in part, from the evaporation and incomplete combustion of fuels. In the presence of sunlight VOCs react to form ozone, a pollutant regulated by the Clean Air Act Amendments.

Waterfowl and Wading Bird Habitat – Wetlands that provide habitat for waterfowl (geese, brant, ducks) and wading birds (heron, egrets, bittern, rails), and that meet certain criteria for size, quality, and percent open water as established by Department of Inland Fish & Wildlife regulations.

Watershed – A region or area that contains all land ultimately draining to a water course, body of water, or aquifer.

Wellhead Protection Area (WPA) – Areas of land where human activities are regulated to protect the quality of ground water that supplies public drinking water wells.

Wetland – Areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions.

Wild and Scenic River – A river or river segment, designated by the National Park Service, because of the outstandingly remarkable scenic, recreational, geologic, fish and wildlife, historic, cultural or other similar values (16 U.S.C. 1271-1287).

This Page Intentionally Left Blank

1.0 Introduction

This technical report documents the existing natural resources environment in the Study Area for the Gorham Bypass Study and Environmental Assessment (EA) (Gorham Bypass Study). Resources and regulatory considerations which could influence the location and layout of alternatives are presented. The resource categories reviewed include: wetlands; surface water and groundwater resources; floodplains; threatened and endangered species; vegetative communities; wildlife habitat; aquatic habitats; prime and unique farmland; soils; surficial geology; and wellhead protection districts. The sources of data for the corridor level analysis of the study included existing reports, maps, and aerial imagery; communication with various resource agencies and non-profit organizations; and limited field investigations. Once corridors were selected, resource evaluation included in-depth field analysis to support evaluations of alignments.

Each resource is discussed in the context of relevant regulatory requirements, followed by a description of the data sources and evaluation methodology employed, and finally, a description of the existing environment. Where appropriate, the resource areas are depicted on environmental constraints maps for the Study Area. Resource constraints were used to aid in identifying potential bypass corridors 305 meters (1,000 feet) wide.

The Town of Gorham is located 15.3 kilometers (9.5 miles) west of Portland, Maine, Cumberland County, and is part of the Greater Portland Metropolitan Statistical Area (MSA). Highway access to Gorham is provided by U.S. Route 202, and State Routes 4, 22, 25, 114, and 237. State Route 22 connects to the Maine Turnpike, Interstate Route 95 (I-95), from Gorham Village approximately 10.3 km (6.4 mi) and Route 25 connects with the Maine Turnpike, Interstate Route 95 (I-95), approximately 11.6 kilometers (7.2 mi) to the east.

The Study Area is located in the southern third of the Town of Gorham and encompasses approximately 49.2 square kilometers (19 square miles) (Figure 1-1, page 1-2). The Study Area is generally centered around Gorham Village and includes Mosher Corner, at its northeast corner. To the southeast, the Study Area extends along Route 22 to Scarborough. To the southwest, the Study Area extends to the Buxton townline, in the vicinity of U.S. Route 202/Route 4 and Osborne Road. West Gorham is at the northwest corner of the Study Area.

This Page Intentionally Left Blank

2.0 Inventory of Existing Natural Resources Within the Study Area

Corridor Level Data Collection

The primary source of data for the corridor level assessment of environmental resources within the Study Area was the Maine Office of Geographic Information Systems (Maine OGIS) website. This information was supplemented with agency information, such as the locations of the Deer Wintering Area, plant species information, and the known location of state and federal protected wildlife, when available, obtained during the year 2000.

For wetlands, additional data sources including hydric soils lists, and aerial photograph interpretation were reviewed, with limited field confirmation of resources. Once this review was completed, new information developed was added directly to the digitized maps. Other resources were supplemented with data from electronic sources such as various State of Maine agency websites to supplement written information for this technical report.

Alternative Level Data Collection

Five bypass corridors, 305 meters (1,000 feet) wide, were selected for further assessment. Within each of these corridors, a 61 meter (200 foot) highway right-of-way was determined along with a 12 meter (40 foot) wide road alignment for field review on aerial photographs of the alternative rights-of-way. These maps were utilized in the field to delineate wetlands which were then plotted on the resource maps based on field features. Other resources were field checked as well, including cover types, stream characteristics, and the presence of protected species including those species identified by the resource agencies.

The data collected in the field was converted into digital data in Geographic Information Systems (GIS) format for incorporation into Phase I constraints mapping. Updated mapping allowed for an accurate assessment of the alternatives using field delineated data.

2.1 Wetlands

Regulatory Review

Federal jurisdiction of wetlands lies with the U.S. Army Corps of Engineers (ACOE) and Environmental Protection Agency (EPA), in accordance with Section 404 of the Clean Water Act. Under Section 404, the ACOE can authorize the issuance of dredge and fill permits within waters of the United States which includes wetlands. The EPA has a program oversight role and has the authority to make final determinations of the applicability of Section 404 to specific projects. Input is solicited from the U.S. Fish and Wildlife Service (USFWS) and National Marine Fisheries Service (NMFS). Under Section 404, before a project may proceed with either dredging or filling of a wetland, it

must be shown that efforts have been made to avoid impacts, minimize unavoidable impacts, and compensate for any remaining impacts.

Executive Order 11990, Protection of Wetlands, also addresses wetland impacts, requiring all federal agencies to minimize the destruction, degradation, or loss of wetlands. The lead federal agency for a project must make appropriate findings documenting compliance with this Executive Order.

Freshwater wetlands are regulated by the State of Maine under the Natural Resources Protection Act (NRPA) (38 MRSA § 480-A through § 480-Z) and the MDEP's Wetland Protection Rules (Chapter 310). The Act regulates dredging, draining, filling, and other alterations. The NRPA program is administered by the Maine Department of Environmental Protection (MDEP).

Methodology

At the corridor level, federal and state jurisdictional wetlands within the Study Area were identified through the use of existing data. Preliminary information on the Study Area's wetlands was obtained from the Gorham National Wetlands Inventory map (USFWS, 1980), from the Soil Survey of Cumberland County, Maine (Hedstrom, 1974), and various previous studies conducted within and adjacent to the Study Area. Federal wetland classifications were assigned according to the criteria published by the USFWS in Cowardin et al., (1979), and are noted on Figure 2-1, page 2-3.

The various sources of existing data such as the extent of hydric soils on the soils maps and NWI mapping were utilized to identify wetlands for the Phase I mapping. Additional information on wetlands was obtained through photo interpretation of aerial photographs using long established remote sensing standards and techniques. These photos are black and white, large scale 9"x 9" paper photos taken on November 16, 1998 (MDOT, 1998). This date of photography allowed for photo interpretation of surface features in deciduous woodland and optimum seasonal surface water, which proved instrumental for constraints mapping. The presence of extensive non-deciduous vegetation across the Study Area influences the accuracy of photographic interpretation of wetlands. Specific locations with conflicting data were checked in the field during a windshield survey. Individual wetlands were reviewed from a vehicle, no field determination was made. This level of information was utilized through the corridor screening phase.

Once alignment alternatives were developed within each corridor, wetland boundaries within the alternative rights-of-way were identified in the field but were not flagged or surveyed. Sufficient documentation was collected at representative locations in order to confirm these findings. These wetlands are depicted in Figure 2-2, page 2-4.

Wetland functional assessments were performed in representative wetland locations for the alignments selected for more detailed examination. The performance of a wetland functional assessment is a required element in the determination of (1) the functional value of the wetlands and (2) the magnitude of functional impacts that might be incurred from the proposed project. The functional assessment methods used for this study are adapted from methods developed to satisfy the ACOE's Highway Methodology requirements as stated in the ACOE's Highway Methodology Workbook Supplement: Wetland Functions and Values. A Descriptive Approach (1995) and Guide for Permit

Applicants (1993). Information used in the assessment includes data collected in the field, aerial photographs, rare species data, floodplain and water resources information, and other sources. The 13 functions assessed for this study include:

- Groundwater recharge/discharge;
- Flood storage and desynchronization;
- · Sediment and shoreline stabilization;
- Sediment/toxicant retention:
- Nutrient retention/transformation;
- Nutrient export;
- · Aquatic diversity/abundance and fish and shellfish habitat;
- Wildlife habitat;
- Endangered species habitat;
- Recreation (consumptive and non-consumptive);
- Uniqueness/heritage;
- · Education/scientific; and
- Visual quality/aesthetics.

The Functional Assessments are provided in Appendix A of this report.

Summary of Existing Resources

Wetland systems (Cowardin et al., 1979) identified within the Study Area includes Riverine, Lacustrine, and Palustrine. A total of six wetland classes were noted in the Study Area based on Cowardin et al (1979) as noted on the National Wetlands Inventory (NWI) maps. In addition, the Soil Survey of Cumberland County (Hedstrom, 1974) and aerial photography was used to identify wetland systems. The wetland classes found in the Study Area include Palustrine Forested (PFO), Palustrine Scrub-Shrub (PSS) and Palustrine Emergent (PEM), as well as Palustrine Unconsolidated Bottom (Pub), Lacustrine Unconsolidated Bottom (L1UB), and Riverine Lower Perennial (R2) and wetlands described in the Section, 3.3.6, page 3-18 of the Environmental Assessment (EA). Palustrine wetlands are described in Cowardin et al., as including all nontidal wetlands dominated by trees, shrubs, persistent emergents, emergent mosses or lichens, and all such wetlands that occur in tidal areas with salinities less than 0.5%. Non-vegetated Palustrine wetlands are described in the Palustrine Unconsolidated bottom class, Section 3.3.6, page 3-18 of the EA. Other classes within Palustrine system include: Palustrine Emergent, Palustrine Forested, Palustrine Scrub-Shrub, Palustrine Unconsolidated Bottom, Lacustrine, and Riverine systems. Table 2-1 outlines the wetland classes and size within the Study Area.

Table 2-1
Wetland Classes and Acreage within Study Area

Wetland Type	Hectares (Acres)
Palustrine Emergent	37.8 ha (93.4 ac)
Palustrine Forested	133.1 ha (328.8 ac)
Palustrine Scrub-Shrub	70.8 ha (175.0 ac)
Palustrine Unconsolidated Bottom	15.1 ha (37.4 ac)
Lacustrine Unconsolidated Bottom	6.5 ha (16.0 ac)

Source: Based on NWI maps, Soils Information, and Photo Interpretation.

The number of wetlands noted in the Study Area is approximately 200. (Figure 2-1, page 2-3).

Of the various wetland communities defined at the corridor level, the majority are located south of Route 25. More specifically, wetlands in the southwest quadrant of the Study Area, from Flaggy Meadow Road south and east to Route 114 south, are nearly all Palustrine Forested (PFO) wetlands with large forested wetland communities west of Cressey Road and north of Narragansett Street. There is another PFO wetland community located west of Route 114 near Crestwood Drive.

The southeastern quadrant of the Study Area, namely east of Route 114 and north to New Portland Road contains a mix of forested wetland communities and scrub-shrub communities. The wetlands in this portion of the Study Area also appear to be more closely associated with drainageways including Indian Camp Brook.

In the northeast quadrant of the Study Area, north of New Portland Road and east of Route 114, the wetland communities are predominately PEM and PSS with the largest wetland area associated with Tannery Brook.

The wetland communities associated with the northwest quadrant, bounded by Flaggy Meadow Road to the south and Route 114 to the east is predominately PSS wetlands along with PFO wetlands. The largest wetland community in this portion of the Study Area is associated with the Little River. (See Figure 2-1, page 2-3)

2.2 Groundwater, Surface Water, and Floodplain Resources and Wellhead Protection Districts

Regulatory Review

Oversight of groundwater resources at the federal level is by the EPA through the administration of the Safe Drinking Water Act of 1974 (SDWA), as amended, and to a lesser extent the Clean Water Act Section 404 (CWA). At the state level, the MDEP is responsible for groundwater protection, while drinking water is administered through the Department of Human Services, Division of Health Engineering, Drinking Water Program (DWP) which is responsible for enforcing the federal SDWA in terms of water quality at the point of use.

Surface water resources are regulated under federal legislation enacted to protect the quality of the nation's surface water. The primary federal legislation pertaining to this study is the CWA (first passed in 1972, and amended several times thereafter), which establishes a federal policy to regulate the discharge of pollutants into the nation's surface waters. Any work within the "waters of the U.S." requires a permit under Section 404 of the CWA (33 U.S.C. s/s 121 et seq,1977). Other federal requirements include Section 401 (CWA) Water Quality Certification which is administered through the State of Maine. Section 303(d) of the CWA requires states to identify water body segments that do not attain water quality standards or are imminently threatened and are not expected to meet state water quality standards.

At the state level, the MDEP oversees surface water issues through a number of policies and regulations including the Maine NRPA (38 MRSA § 480-A et seq.). MDOT projects are also reviewed for compliance with the 1998 Stormwater Management MOA.

A water classification system established pursuant to 38 MRSA § 464 established designated uses, related characteristics of those uses, and criteria necessary to protect the uses. The State of Maine has four classes of freshwater rivers, Class AA, Class A, Class B, and Class C as defined in the regulations.

Wellhead Protection Areas are designated to protect public water supplies from sources of contamination. The SDWA is the federal act established to protect the quality of drinking water in the United States. This law focuses on all waters actually or potentially designated for drinking use, whether from aboveground or underground sources.

The SDWA authorized the Environmental Protection Agency (EPA) to establish safe standards for purity and required all owners or operators of public water systems to comply with primary health-related standards. State governments also encourage the attainment of secondary health-related standards.

The State of Maine implements a Wellhead Protection Program, under the DWP. The Maine DWP is administered by the Department of Human Services. The DWP is responsible for enforcing the SDWA and has primary responsibility for administering the state's rules related to drinking water.

In addition, public wells are regulated by the Maine Department of Human Services, Drinking Water Program regulation 10-144E CMR 231, § 2 in the Maine Rules Relating to Drinking Water. This regulation defines a public water well as "any water transmitted through a set of pipes for human consumption which serves at least 15 service connections or regularly serves at least 25 residents 60 days or more per year." Private water wells are not regulated under 10-144E, CMR 231, in the Maine Rules Relating to Drinking Water.

<u>Methodology</u>

Baseline information describing the quality and quantity of groundwater resources located within the Study Area was obtained from the Significant Aquifer Map for the Gorham Quadrangle, from Maine Geological Survey (MGS), Open File No. 98-143 (1998). Additional mapping available from other sources included Groundwater Resource maps of Cumberland County (Maine Geological Survey, 1976). The Town of Gorham provided specific information on the location of public wells. Other data were collected via personal communication with state regulatory agencies.

Baseline information describing the location of public water supplies was obtained through the Maine Department of Human Services, Division of Health Engineering. The location of public wells was obtained through the Maine OGIS, Drinking Water Program. The Customer Service Department of the Portland Water District was contacted for information on their service area and the source of their public water supply.

The information available from these sources identified known aquifers and well fields, and potential significant sand and gravel deposits. The term "aquifer" is applied to any water-bearing geologic formation capable of producing usable quantities of groundwater

to be pumped into a well. A significant aquifer in the State of Maine is defined by 38 MRSA § 482, 4-D, as "a porous formation of ice-contact and glacial-outwash sand and gravel or bedrock that contains significant recoverable quantities of water which is likely to provide drinking water supplies." The MGS considers a sand and gravel aquifer to be "significant" when a well in that deposit is capable of being continuously pumped at a rate of 38 liters (10 gallons) per minute or more (Neil, 1998). The location of each public well is shown on Figure 2-3, page 2-10 with a 91 meter (300-foot) radius Wellhead Protection Area. The 91 meter (300-foot) radius is established by the Maine Department of Health Services, Drinking Water Program and correlates to the amount of protection the wellhead area requires in relation to the population served by the water system.

Surface water resources within the Study Area were based primarily on the existing information contained on the U.S. Fish and Wildlife Services National Wetland Inventory mapping contained on the Maine OGIS website. This information was supplemented with interpretation of aerial photographs using remote sensing standards and techniques.

Surface water resources were defined according to the NRPA definition of great ponds, and river or stream or the Classification of Wetlands and Deepwater Habitats of the United States (Cowardin et al., 1979), which is the federal standard for remotely sensed wetland and deepwater habitat classification. For the purposes of this technical report, surface water resources were defined as any body of water which meets the criteria for either a lacustrine or riverine system by the Cowardin method.

Areas meeting the Cowardin definition were delineated directly on base maps. Limited field checking of existing or mapped resources was conducted for the corridor level studies.

Other data sources reviewed prior to and during photo interpretation included United States Geological Survey topographic quadrangle mapping (Gorham, 1985) and various fact sheets and guidance documents available on the state website.

Summary of Existing Resources

The Portland Water District, which draws its water supply from Sebago Lake (located outside the Study Area) supplies water to approximately 1,600 commercial and residential customers in the Town of Gorham (Coffin, 2000). Figure 2-3, page 2-10 depicts the Portland Water District service area within the Study Area. Private water wells are the principle source of drinking water for the remainder of the residents of the Study Area, with both overburden and bedrock wells being used for water supplies. The majority of the bedrock wells are 30-91 meters (100-300 feet) in depth and typical well yields are approximately 38-76 liters (10-20 gallons) per minute, although yields of up to 378.5 liters (100 gallons) per minute do occur (Caswell, 1976 [a]). The thickness of the area's overburden is generally in the range of 3-6 meters (10-20 feet)(Caswell, 1976 [c]).

There are seven public water supply wells within the Study Area, including: the Wake Up Call Restaurant well, the O'Brien Mobile Home Park well, two wells located at the Gorham Country Club, and three wells located at the Wassamki Springs area in South Gorham. Each well has a 91 meter (300-foot) radius wellhead protection area around it (See Figure 2-3, page 2-10). These well head protection areas are established by the Maine Drinking Water Program, Department of Human Services around both large and

small public water supply wells and are intended to be used as a planning tool to evaluate potential land uses and their impacts on the local water quality.

All or a portion of three Sand and Gravel Aquifer areas, where ground water yield is estimated to be greater than 38 liters (10 gallons) per minute, exist in the Study Area. The approximate areal extent of these areas is 1,092 hectares (2,700 acres).

The Water Resources Map (Figure 2-3, page 2-10) identifies approximate boundaries of the Significant Sand and Gravel Aquifers, as well as the location of public water supply wells. These aquifer areas are grouped by potential yields of the wells. The Significant Aquifer Map for the Study Area identifies three significant aquifers. The first is considered a "high yield" aquifer, located in the extreme southeast corner of the Study Area along the Gorham and Scarborough townline. This high yield aquifer is capable of yielding in excess of 189 liters (50 gallons) per minute. This area of high yield aquifer is surrounded by a second aquifer, an area of "medium yield" aquifer, located along Route 22 and the Gorham/Scarborough townline. It has a potential yield of up to 38-189 lpm (10-50 gpm).

The third Significant Sand and Gravel Aquifer is a medium yield aquifer (i.e. aquifer with potential yields of 38-189 lpm (10-50 gpm) located in the vicinity of Gorham Village. This aquifer is oriented in a southwest to northeast direction extending along Route 202 to approximately the Cumberland County and York County line.

Fractured bedrock groundwater resources are used extensively in the Study Area (Neil, 1998), and while yields are generally less than those found in surficial aquifer wells, they are sufficiently large to meet most domestic needs, for individual wells.

In terms of surface waters, the Study Area lies within the drainage basins of two waterways, the Presumpscot River and the Stroudwater River. Route 202 west of Gorham Village and Route 25 east of the Gorham Village essentially delineate the drainage divide. The Presumpscot River flows from northwest to southeast and is located outside the Study Area. Tributaries of the Presumpscot River, which include Little River, Martin Brook, Fort Hill Brook, Tannery Brook, Files Brook, Brandy Brook, Mosher Brook, and several unnamed tributaries, drain the northwesterly portion of the Study Area. The Stroudwater River watershed drains the south/southeast portion of the Study Area. Its tributaries include Gully Brook, Deering Brook, Strout Brook, Indian Camp Brook, and several unnamed tributaries. These and other surface water features are shown on Figure 2-4, page 2-11.

The Stroudwater River in the Study Area is classified as Riverine, Lower Perennial, Unconsolidated Bottom (R2UB), while the smaller streams such as Gully Brook and Indian Camp Brook are primarily Palustrine, Scrub-Shrub, Deciduous (PSS1). The Little River is classified as a riverine habitat as well as Palustrine Scrub-Shrub. Tannery Brook includes a ponded portion, Lacustrine, Littoral, Unconsolidated Bottom (L2UB), as well as Riverine portions (riverine, lower perennial, unconsolidated bottom-R2UB), and Palustrine Emergent and Scrub-Shrub wetlands (PEM and PSS)(Figure 2-1, page 2-3).

The Stroudwater River, all its tributaries, and all tributaries to the Presumpscot River below its outlet from Sebago Lake are listed as Class B waterways (38 MRSA § 465). Mosher Brook is cited in the 1998 Section 303(d) List of Water Quality Limited Rivers and Streams as a Class B stream due to non-attainment of dissolved oxygen

This Page Intentionally Left Blank

Unfragmented habitat blocks represent contiguous areas of forest and other vegetative communities with limited disturbance. The availability of unfragmented blocks of habitat within the Study Area was examined through the assessment methods described in the Vegetation Section 2.6, page 2-17.

Existing wildlife habitat information including Significant Wildlife Habitat in the Study Area was obtained through contacting MDIF&W regional wildlife biologist, Mr. Philip Bozenhard in Gray, Maine. Significant Wildlife Habitats include critical or important wildlife habitats, Essential Wildlife Habitats, Deer Wintering Areas, and Waterfowl and Wading Bird habitat. Records of protected wildlife species are noted in the Threatened and Endangered Species Section 2.3, page 2-12.

Summary of Existing Resources

The Study Area includes a broad range of potential wildlife habitats. The various vegetative communities across the site combine to provide the appropriate food and cover necessary which meet the requirements of a variety of wildlife species. These communities can be characterized as being primarily forested, however the interspersion of large areas of open land and scrub-shrub areas combine to add to the overall value of the Study Area. Forested habitats occur throughout the Study Area except in the Gorham Village area, which is considered an urban area, densely developed, with the largest tracts of forest land occurring on the west side of the Study Area. This community typically provides a variety of values including food, cover, and breeding habitat to birds and some amphibian species, as well as small and large mammals such as the whitetailed deer (Odocoileus virginianus). Open fields, more common in the outer portions of the Study Area but especially in the Mosher Corner area, and in the area north of the Gorham Village area, are an important element of the habitat requirements for a variety of bird species such as the eastern meadowlark (Sturnella magna) but also provide cover, nesting opportunity and breeding habitat for small mammals such the deer mouse (Peromyscus maniculatus) and foraging habitat for mammals such as the fox (Vulpes vulpes) and coyote (Canis latrans).

The identification and evaluation of wildlife species includes the following categories:

Amphibians and Reptiles

DeGraaf and Rudis (1986) indicate 14 amphibian and 12 reptile species may be found in the Study Area. A list of these species is included in Appendix B.

The "significant wildlife habitat" of vernal pools are a required habitat for a majority of the salamander species noted plus the wood frog (*Rana sylvatica*), however no vernal pools were identified by MDIF&W in the correspondence regarding "Significant Wildlife Habitat". By definition however if they occur within another protected natural resource such as a wetland they would be considered "Significant Wildlife Habitat". No vernal pools were identified during wetland delineation field work.

Birds

The Study Area with its variety of forested and open field habitats, as well as wetland and upland communities combines to provide habitats for a number of bird species. One hundred and forty-eight species of birds were identified by MDIF&W as likely inhabitants

in the various habitats of the Study Area. The table of bird species identified by MDIF&W (2002) as occurring in the Study Area is provided in Appendix A.

According to the mapped information provided by MDIF&W, Significant Wildlife Habitats include a Moderate Value Waterfowl Wading Bird Habitat at Tannery Brook Pond, just north of Gorham Village (Eldridge, 2001). This wildlife data is provided on the Threatened and Endangered Species/Wildlife Habitat Figure 2-5, page 2-13. No other wildlife resources were noted by MDIF&W.

Mammals

Thirty-six species of mammals were identified by the MDIF&W (2002), as likely inhabitants in the various habitats identified in the Study Area. A listing of mammal species with ranges overlapping the Study Area is included in Appendix A.

According to the mapped information provided by MDIF&W, Significant Wildlife Habitats include a Deer Wintering Area located on the south side of Day Road, east of Route 114. (Eldridge, 2000). This wildlife data is provided on the Threatened and Endangered Species/Wildlife Habitat, Figure 2-5, page 2-13. No other wildlife resources were noted by MDIF&W.

Unfragmented Habitats

The availability of unfragmented habitats in the Study Area is most easily observed by reviewing the Vegetation Coverage Map (Figure 2-6, page 2-19). Large blocks of forestland and other cover types are located throughout the Study Area. The configuration of these habitat areas is however affected by the presence of the existing road network, which radiates out from the Gorham Village center. Most of the habitat areas begin near Gorham Village and continue outside the Study Area. Initially it can be stated that impacts to these habitat areas will be more likely to occur as you travel away from the center of Gorham Village.

No wildlife concerns were identified by the USFWS.

2.5 Aquatic Habitat

Regulatory Review

Significant wildlife and aquatic habitat is protected by the State of Maine under NRPA (38 MRSA § 480-A through 480-Z). Activities may not "unreasonably harm any significant wildlife habitats, freshwater wetland plant habitat, aquatic habitat, travel corridor, freshwater, estuarine, or marine fisheries or other aquatic life." However, only significant habitats that are mapped are protected.

Specifically, Maine Department of Transportation projects "may not block any fish passage in any water course" and "shall use erosion control measures to prevent sedimentation of any surface waters" as described under NRPA (38 MRSA § 480-H, 1[A]).

Methodology

Fisheries information was requested from USFWS and NMFS.

Existing fisheries resources information within the Study Area was obtained by contacting the MDIF&W regional fisheries biologist in Gray, Mr. John Boland. In addition, the Atlantic Salmon Commission (ASC) and Maine Department of Marine Resources were contacted for information. At the alignment level of study, additional field work focused on a thorough examination of resources, specifically data on the quality of streams, susceptibility of communities to sedimentation, as well as the overall fishery values of specific streams.

Summary of Existing Resources

No fisheries concerns were noted by the USFWS or the NMFS. Correspondence from Mr. Norm Dube of the Atlantic Salmon Commission indicated no concerns with the Study Area and noted that no Atlantic Salmon habitat would be impacted by the proposed bypass. A review of files by Mr. Brian Swan of the Maine Department of Marine Resources (DMR), indicated a similar response of no marine resources located within the Study Area.

According to information provided by the MDIF&W, the Little River is stocked with brook trout and brown trout on an annual basis, while the Stroudwater River in the Gorham area is "periodically" stocked with brook trout. A number of the smaller tributary streams and headwater sections of the larger streams were identified as containing wild populations of brook trout. Based on this assessment all streams are assumed to provide fisheries habitat for the preliminary or corridor selection phase of the study. This information was further refined during later phases through field examination and further coordination with MDIF&W.

2.6 Vegetative Communities

Regulatory Review

The consideration of vegetative communities is provided in conjunction with wildlife habitat issues. Agencies responsible for these issues include the MDIF&W. Specific reference to "travel corridors" is noted in the Natural Resources Protection Act (38 MRSA § 480-D,3). Travel corridors provide a connection between two habitat areas.

Methodology

Information on vegetative cover was obtained through aerial photo interpretation and published data. The most comprehensive information currently available was found on the land use maps provided as part of the Casco Bay Estuary Project (CBEP) (USEPA, 1995). Other data resources reviewed included the Cumberland County, Maine, Soil Survey (1974); and the U.S. Geological Survey 7.5 minute series quadrangle map for Gorham (1975). In addition, several resource agencies were contacted during the preliminary phase of the study. Information was provided by the State of Maine, Natural Areas Program, and Maine Forest Service.

Land cover classification maps provided by the U.S. Fish and Wildlife Service based on the Casco Bay Estuary Project, Geographic Information Systems, (1996) served as the primary basis for the vegetative cover maps. This map was developed with satellite imagery and classifies communities into more than 26 different types, including the location and extent of forested communities. From the data in this map the various communities were combined to provide a basis for displaying forested and non-forested communities within the Study Area, as noted in Figure 2-6, page 2-19.

The data provided allows the examination of direct impacts to available wildlife habitat, such as the loss of scrub-shrub habitats, and also an overview of how the proposed bypass would fragment and disrupt available habitat. In general, the presence of large blocks of undisturbed habitat and potential travel corridors can be identified through the use of the vegetation maps, allowing an examination of the potential for bisecting or fragmenting these habitats by any highway corridor.

Additional data concerning specific plant species recorded in the Study Area are included in Section 2.3, page 2-12, Threatened and Endangered Species.

Summary of Existing Resources

The CBEP (1996) identified 24 different cover types such as high and low density/residential, four classes of hardwoods, and four classes of softwoods. The Vegetation Coverage Map (Figure 2-6, page 2-19) developed for this study utilized the CBEP data, consolidating a number of these categories to include classes such as hardwood, softwood and scrub-shrub. The Study Area vegetation has been aggregated into five vegetation cover types, in addition to developed lands:

- (1) open lands, including grasslands, emergents and marshlands,
- (2) scrub-shrub,
- (3) softwood forest,
- (4) hardwood forest,
- (5) forested wetland, and,
- (6) developed lands including residential, commercial.

Open Land communities

The Open Land communities include active agricultural areas such as hay fields, and other low-growing communities such as emergent or marshy areas. As noted in the Wildlife Habitat Section 2.4, page 2-14, these areas can be an important element of bird and small mammal habitat. Total acreage within the Study Area is 1,393 ha (3,443 ac).

Scrub-Shrub communities

In general, Scrub-Shrub communities found in the Study Area were associated with wetlands, along roadsides, along utility corridors, and adjacent to streams and drainageways. These communities are characterized by woody vegetation less than 6 meters (20 feet) tall. Typical species include speckled alder (*Alnus incana rugosa*), gray birch (Betula populifolia), and staghorn sumac (*Rhus typhina*). Total acreage within the Study Area is approximately 370 ha (914 ac).

Softwood (coniferous) forest

The Softwood forest communities are distributed throughout the Study Area with large concentration in the south-central, and north-central portions of the Study Area. The

forest is dominated by white pine (*Pinus strobus*) and spruce (*Picea*) species. Total acreage within the Study Area is approximately 1,385 ha (3424 ac).

Hardwood (deciduous) forest

The Hardwood forest communities are distributed across the Study Area with the largest concentrations occurring in the southern and western portions of the Study Area. The hardwood component of the Study Area is best represented as Northern Hardwood forest. Total acreage within the Study Area is approximately 1,434 ha (3,543 ac).

Forested Wetland communities

The Forested Wetland communities found in the Study Area are typically large communities located adjacent to streams or drainageways or are found in lower portions of the landscape. The forested communities are characterized by woody vegetation over six meters (20 feet) tall. Typical species include red maple (*Acer rubrum*) and eastern hemlock (*Tsuga canadensis*). Total acreage within the Study Area is approximately 168 ha (416 ac).

Developed Land

The cover type of Developed Land includes those areas already developed for residential, commercial and industrial purposes, as well as the landscaped areas around these facilities. The developed land communities in the Study Area are generally associated with the Gorham Village area as well as areas adjacent to the existing roadways. Total acreage within the Study Area is 227 ha (562 ac).

Areas have also been covered by water, which are comprised of various streams, ponds and other types of waterbodies that were picked up from satellite imagery based on Casco Bay Estuary Project, Geographic Information System (1996).

The Vegetation Coverage Map provides a depiction of forested and non-forested communities, illustrating the extent of these resources, and their contiguous nature, allowing an assessment of the potential impacts to existing communities during the selection of bypass corridors and alignments.

2.7 Prime & Unique Farmland

Regulatory Review

The Farmland Protection Policy Act was established by Congress in 1981 to minimize the extent to which federal activities contribute to the conversion of agricultural land to nonagricultural uses. The Farmland Protection Policy Act is overseen by the U.S. Natural Resources Conservation Service (NRCS). The premise of the act is to ensure that federal policies are administered in a manner that will be compatible with state, local, and private policies that protect farmland. The NRCS looks at the amount of farmland that may be impacted by a proposed bypass road. Once the location(s) have been identified, a Farmland Conversion Impact Rating form (Form AD-1006) is completed by the federal agency undertaking the project, and the farmland significance is evaluated. Based on the Farmland Conversion Impact Rating form, a site rated with the most amount of points will be considered most suitable for protection.

Methodology

Available mapping of farmland soils within the Study Area was reviewed through information sources such as the NRCS Important Farmlands Map for Cumberland County (1980).

Summary of Existing Resources

In order to address potential impacts to farmlands, a soil classification system based on soil characteristics is used. This classification of farmland consists of four categories: prime farmland, unique farmland, additional farmland of state-wide importance, and additional farmland of local importance. Soils in these categories that have structures or pavement are considered to have been irreversibly "converted" and no longer available for agricultural production. In addition, farmland does not include lands identified as either "urbanized" on the Census Bureau Map, as an urban area mapped with a "tint overprint" on the USGS topographical maps or as "urban build-up" on the USDA Farmland Maps (7 CFR 658.2). Table 2-2 shows the prime farmland soils within the Study Area.

Table 2-2
Prime Farmland Soils Within the Study Area

Map Symbol	Prime Farmland Code	Soil Name and Description
BuB	2	Buxton silt loam, 3 to 8% slope
CaB	4	Canaan sandy loam, 3 to 8% slope
DeA	4	Deerfield loamy sand, 0 to 3% slope
DeB	4	Deerfield loamy sand, 3 to 8% slope
EmB	1	Elmwood fine sandy loam, 0 to 8% slope
HgB	4	Hermon sandy loam, 3 to 8% slope
HIB	4	Hinckley gravelly sandy loam, 3 to 8% slope
HnB	4	Hinckley-Suffield complex, 3 to 8% slope
HrB	4	Hollis fine sandy loam, 3 to 8% slope
LyB	4	Lyman fine sandy loam, 3 to 8% slope
MkB	1	Merrimac fine sandy loam, 3 to 8% slope
On	1	Ondawa fine sandy loam
PbB	1	Paxton fine sandy loam, 3 to 8% slope
PkB	1	Peru fine sandy loam, 0 to 8% slope
Py	1	Podunk fine sandy loam
WmB	4	Windsor loamy sand, 0 to 8% slope
WrB	1	Woodbridge fine sandy loam, 0 to 8 % slope

1=All areas are prime farmland

2=Only drained areas are prime farmland

4=Only irrigated areas are prime farmland

The soils that are irrigated or drained to be considered prime farmland are soils that are of statewide significance. Not all units of these soils are Prime and Unique Farmland if they are not identified by NRCS as being Prime and Unique Farmland. In addition,

of Maine Surficial Geology, Gorham Quadrangle, File No. 99-84 (Maine Geological Survey, 1999). This information was available through the Maine Office of GIS (OGIS). Other information sources checked as part of the documentation process provided the same soils data. These data sources include the Maine Geological Survey, the Natural Resources Information and Mapping Center, and the Casco Bay Estuary Project, a project of the U.S. Fish and Wildlife Service (1995).

Farmland soils are addressed in Section 2.7, page 2-20.

Summary of Existing Resources

The surficial geology of the Gorham Bypass Study Area, as described and depicted on the Surficial Geology map, File No. 99-84 indicates both marine and glacial deposits including tills occur. Marine deposits predominate in the Study Area with glacial moraines and tills located as large blocks in that portion of the Study Area located north of Gorham Village or as isolated deposits to the south. The surficial geology map information is presented on Figure 2-8 page 2-25, and includes the following deposits, and, where available, the approximate thickness of the deposit. The following deposits are described by Maine Geological Survey (1999):

- Stream alluvium Occurs as fine sands and silt with some gravel in floodplains along streams and rivers. As depicted on Figure 2-8, page 2-25 this deposit is limited to the Stroudwater River at the southern limit of the Study Area. Total acreage within the Study Area is 5.6 hectares (14 acres).
- Wetland, swamp These muck, peat, silt and sand deposits are depicted on the map as small isolated units with the largest occurring south of Gorham Village, west of Route 114. Total acreage within the Study Area is 14 hectares (35 acres).
- End Moraine These deposits occurs north of Flaggy Meadow Road, west of Cressey Road. This deposit consists of coarse gravel and sand and generally occurs in areas of glacial-marine sediments that are complexly stratified. Total area within the Study Area is 6.5 hectares (16 acres).
- End Moraine Complex These glacial deposits are primarily located north of Route 25 and are generally oriented in a south-southwest direction. Smaller deposits occur in the southern half of the Study Area. These areas described as coarse gravel, sand, till and silt; commonly over shallow bedrock. They were formed at or near ice front during retreat of marine-based glacier. They are generally less than 5 meters (16 feet) thick. Total area is 486 hectares (1,202 acres).
- Fan End Moraine Complex These deposits are located around West Gorham. A
 composite unit this complex incorporates elements of end moraines and subaqueous
 fans. A coarse to fine sand, this material overlies sediments of end moraines and
 end moraine complexes. Total area within the Study Area is 231 hectares (572
 acres).
- Marine Nearshore Deposit These deposits are found east of Gorham Village around Mosher Corner and along Waterhouse Road. These deposits occur in small patches generally in the southeastern quadrant of the Study Area. They are

This Page Intentionally Left Blank

			WE	WETLAND SUMMARY SHEET	ARY SF	IEET	WETLAND ID#: /
WETLAND DESCRIPTION							
Project: Gorham Bypass							
General description: Power Inc.	Son		chet lands	Watershed:	12	Strondurater	eter Puer
2	PSSI						1
Principal vegetation: Sens、fecn, し	GUCKTWOON	hon	, catails	Free Low , west	200	ta	
				lydrology:	ton	ace dr	Burface direinage
Disturbance: Portons unler por	powerline	e S		Surrounding Land Use:	and Us	d	sourthing Row Groll and was
						1	
Wildlife observations:							
FUNCTIONAL ASSESSMENT	Occui	Occurrence	Rationale	Rationale (Question#)	Principal	pal	Comments
	>	Z	\	z	>	z	
1. Groundwater recharge/discharge	×		13,45	7-10		× (بار) کارکا کارکا کارکا	Field observations noted scepase areas as well as
2. Flood storage & desynchronization		×	345,8	13,71,11,12		×	Little from Storage potential, wetland amail
3. Fish and Shellfish Habitat		*	-	71		× 37 3	No fish or shellfush harborat available. Area lades
4. Sediment/toxicant retention	×		T	6-5'2-1	-	× Ze	These wetlands do provide retention of sedimentjetical
5. Nutrient retention/transformation		×	5	1,2,4-8,10		ta I	Retented for sources linited, Also Imited
6. Nutrient export	×		1,4,5,7	43699		\frac{1}{\times}	Limited flows and production for exposit,
7. Sediment/Shoreline Stabilization		*		1,3,4,73,9	`	X	Limited water course, although regetation adequate.
8. Wildlife habitat	×		01'6'2'9'5	5,11,17,12,5,1 01,9,8	×	inetla mixed	iverland provides thabates to surroundings with mixed emergant and shrub cover. Uldiverse surrounding
9. Recreation	Х		6	21/11/8-1		×	Existing smazimobile pathis atrails available.
10. Education/Scientific Value		*	ىر	2-4, 7-10		2 ×	No Known education or scientific values ovailable
11. Uniqueness/Heritage		>	۲	1,8-11		× 34	No known Unique or heritage present. Area lacks features of local significance
12. Visual Quality/Aesthetics		>	3 ,5,8	21,10,11,12		X	Limited Visibility; powerline does provide contrast to surrounding would land.
13. Endangered Species Habitat		Х.		1,2		Ž ×	No Knowy endungered species hab that observed or noted by asomeres

			WE	WETLAND SUMMARY SHEET	MARY:	SHEET	F WETLAND ID#: %
WEILAND DESCRIPTION							
Project: Gorham Bypass							
General description: 5 Thern 6 114		Brook	trib.	Watershed:	认	500	Strong water Ruer
Classifications (fed): PSS (
ation:	Ser						
Soil substrate: sand/organic				Hydrology:	7	intern Herst	Tast steam
Disturbance: Sediment depont	k l	14 21	in stream (old)	Surrounding Land Use:	Land L	1 .	old freed was bentich
Water bodies: anda 15 internitent		stream	channed			1	
Wildlife observations: Songbind							
FUNCTIONAL ASSESSMENT	Occu	Occurrence		Rationale (Question#)	Principal	sipal	Comments
	>	z	>	Z	>	z	
Groundwater recharge/discharge	Х		51 '61 '01	7 L 2 L		Х	Upstream discharge noted
2. Flood storage & desynchronization	×		2,4,5	51,11,7,7,1		×	Connected to those plain but storing and hability.
3. Fish and Shellfish Habitat		×	•	2′1			although channel them is too low and intermittent to provide against habitant
4. Sediment/toxicant retention	×		1,2,3,4	6,2,2	×		Upstream sources available from road, residences and field Nos dense but Imstell from
5. Nutrient retention/transformation	×		3,6-9,11	9151711	×		Sed ment and nothern retention, good potential but unknown sources exect field & 160,000.
6. Nutrient export	*		7,10,14	0B 9★ 2		×	Patential for export is available with two and dense
7. Sediment/Shoreline Stabilization		×	2	1-01/0-14		×	Dense vegetation on bennies provides potential but
8. Wildlife habitat	×		5,6,8-10,13	1,3,4,7,11	×		Draining even provides diversity and travelewing in viewith shrub cover in parties 11/5 2000 1000
9. Recreation		×	6	71'11'8-1		×	Limited, recreationed apportunity available
10. Education/Scientific Value		×	ъ	2-4, 7-10		X	No Known educational or scientific value
11. Uniqueness/Heritage		×	7',7	3-56	;	×	Wo known unique or heritage features present
12. Visual Quality/Aesthetics	*		و۔	1,3-12		X	Visible from waterhouse Boad and does provide
13. Endangered Species Habitat		×		211		X	No known endangerd species observed in trely
Note: Federal functions derived from ACOE's Guide for Permit Applicants, 1993.	ide for F	ermit /	Applicants, 1993.				l .

			WE	WETLAND SUMMARY SHEET	ARY SF	HEET WETLAND ID#: 3
WETLAND DESCRIPTION						
Project: Gorham Bypass						
General description: Lower (2011)	ক	VOOK	Tribis	Watershed:	3.tro	stroud water Pruer
Classifications (fed): D551 OF	<u>-</u> 9,					1
tation: Reg maple	80ft rush	ł	goldenma			
Soil substrate:				Hydrology:		
				Surrounding Land Use:	and Use	;e;
e, drainage	+0 62	Gully B	Brook			
Wildlife observations:		,				
FUNCTIONAL ASSESSMENT	Occurrence	rence	Rationale	Rationale (Question#)	Principal	pal Comments
	\succ	z	>	Z	> -	· Z
1. Groundwater recharge/discharge	×		7,5	0)-2		X Opper I mit of auth book 5:00 channed.
2. Flood storage & desynchronization)	2,4,5	21/11/2/1		-
		~		13-13	`	X Small and part of channel - I wanted vi
3. Fish and Shellfish Habitat		· ×		2′1		X No trach or sleed froh Nabotest available.
4. Sediment/toxicant retention		×	1,2,3,4	6'8'2'9		X Limited sellment source ups tope or adjacent feeld. No work course.
5. Nutrient retention/transformation	义		3,4,5,8	1,2,		X Portunal noticest source in tiled but limited apportunt
6. Nutrient export		×	4.18	11/6/9		X Shark to expert out little opertunity
7. Sediment/Shoreline Stabilization	×		2,5	1,3,6,7		X Vegetated chounced procudes appoint with for
8. Wildlife habitat	×		1,345,67	9,10,11,12,	×	Dierse helbitat, provides travellucy, 6008 upland
9. Recreation	4 .	×	6	2(11/8-4		Y No existing received thanks. allerent
10. Education/Scientific Value		×	Ja.	2,5,4,7,510	,	X lack of access to got inits value, and
11. Uniqueness/Heritage		*	1,2	92-2		X lacks features of local significante for bio, features
12. Visual Quality/Aesthetics		×	9.	21-5'1		A Area not visible or accessible.
13. Endangered Species Habitat		*		1,2		X No Known endangerd specus habitat observal or specus noted by agencies

			WE	WETLAND SUMMARY SHEET	MARY S	HEF	WETLAND ID#: 4
WETLAND DESCRIPTION							
Project: Gorham Bypass			-				
General description: Lsolute ル しん	wetland			Watershed:	Str Str	3	Watershed: Strong water Ruch
Classifications (fed): PをM							
Principal vegetation: red man le	soff rush	لامكا	sensitue fem	۲۶۳			
Soil substrate:		-		Hydrology: 15010246	1 Solot	1	areas, soutace runof
Disturbance: of logging dot	dutorbance	Ce in	n area	Surrounding Land Use:	Land Us	ې ie:	æ
ne 120			1 1				
Wildlife observations:							
FUNCTIONAL ASSESSMENT	Occurrence	ence	Rationale	Rationale (Question#)	Principal	pal	Comments
	>	z	>	z	>	z	
1. Groundwater recharge/discharge		×		7,8,9,10		×	No groundwate discharge noted. Probably too small to contribute redocine
2. Flood storage & desynchronization		X	5,8	1,4,6,913		×	The small to provide storage or designehionization.
3. Fish and Shellfish Habitat		×		FK.		1	No aquestic hebiteds, Unichown value as versex pool
4. Sediment/toxicant retention		,	. `2`	1,3,		1	
		۲.		`		· ^	No water course are ounted with site
5. Nutrient retention/transformation		>		1,2,4,58			Limited sources upstreams
				,		×	Not essociated with a withhourse,
6. Nutrient export		*		2,3,6,		×	No extrest or flushing potential limit this
7. Sediment/Shoreline Stabilization		×		8/2/8/1		×	No pertential the stabilization purposes,
8. Wildlife habitat	×		3,4,5,7		×		Isolated westland with volknown vernal pool value.
9. Recreation		メ	S.	1,2,6-10			Limited access to site, small size of wellands
10. Education/Scientific Value		×	1'5	1,3,6-10		<u> </u>	hundred access to area 1 mit existing potentials potentials potentials
11. Uniqueness/Heritage		×	13, 16, 19	21-1			Most unique features Imilial, aceus very imites
12. Visual Quality/Aesthetics		*	5,10	1-4,6,7		×	No access or visibility, Limited contrast to surrounding
13. Endangered Species Habitat		×		21		メ	No known endangered species observed in avea or noted by agencies
Note: Federal functions derived from ACOE's Guide for Bermit Appliant	ido for D	V dimen	notionate 4002				

		W	WETLAND SUMMARY SHEET	ARY SF	HEET WETLAND ID#: K
WETLAND DESCRIPTION					
Project: Gorham Bypass			er i e e e e e e e e e e e e e e e e e e		
General description: May Branch - (2) 14	130	2 Brook	Watershed:	100	Street of Live
Classifications (fed): (PC)					1
٧	Red 1	Red made he	trem (BCK		
s sar			Hydrology:	1 M C 1 S	Incised straim channel 12151 wile 3 wilder
Disturbance: ナータン			Surrounding L	and Us	t salaget (re
Water bodies: んいいり ろっつく					
Wildlife observations: ナルンル					
FUNCTIONAL ASSESSMENT	curre		Rationale (Question#)	Principal	pal Comments
	~ >	> Z		>	Z
Groundwater recharge/discharge	/	7,13,15	1-3,5,9,12	×	well channelized but smoon; brook.
2. Flood storage & desynchronization	>	1,4,6,7,8	7	\ \ \ \ \ \	Change stream within high bankad s Lopes
	<	1, 14,		ζ.	total storage value untinoun but valuable
Fish and Shellfish Habitat	×	1,2,3,4,7	~	×	Anea includes could, Brook. 2) FZ-15" unde chample. Minnows? (?) observed.
4. Sediment/toxicant retention		1,3,4,6,1	5/1/13	×	Higher velocities many failt value our deposition is evident
5. Nutrient retention/transformation	*	2,3,4,6	14,6,7 9,10,11		X attentious anists. Fast moin stream
6. Nutrient export	X	4,6,10,11	2,3		x Streem garces or known.
7. Sediment/Shoreline Stabilization	义	1,23,67	4,9,10,11	×	Channel itself evolvible, Adjacat short plant community valuible for stream stabilization.
8. Wildlife habitat	×	3,4,9,9	1,00,1092,	×	Interspersion of stream, shows a remonderession
9. Recreation	×	4,5,6,7,11	10161	`*	Existing path arosses stream, crossing is within 200 yands of existing noch, Recreational opportunity.
10. Education/Scientific Value	×	4,5,11	8'2'3'2'1		Sinces stream corredon, accessible from cella custocad.
11. Uniqueness/Heritage	★	1,8,7,8,1 1,8,7,8,1	2,5,6,7,8,11 1,3,4,13,14		X heretage feedows 1 mit ster vidue.
12. Visual Quality/Aesthetics	×	2,5,			X himited visual access although 9,18 is accessible from adjacents de.
13. Endangered Species Habitat	*				X No known endengered sciences observed in the fresh or noted by eigen cies.

			WE	WETLAND SUMMARY SHEET	MARY S	HEE	WETLAND ID#:
WETLAND DESCRIPTION							
Project: Gorham Bypass							
General description: Lange Les Mans		MTCOS	1 04 202	Watershed:	17	300	Strong gate Russ
tation: red male	C1717. FEST	1	sens. Fara , J	, yellow birch	ر ہ		
2: NUMMOCICY SU	ctack	4		Hydrology:			
surrounding area ,	ndudos		devel. /trails	Surrounding Land Use:	Land U		residential, funk yard
Water bodies: ท่อนูe			,				
Wildlife observations:							
FUNCTIONAL ASSESSMENT	000	Occurrence		Rationale (Question#)	Principal	ipal	Comments
	>	z	>	z	>	z	
1. Groundwater recharge/discharge	×		答	3,4,6-10		X	appearently fed by ground with / souther proof.
2. Flood storage & desynchronization		×	1,4,5,8,9	7, 13, 15		×	Lacia of outlet limits potential to attent their
3. Fish and Shellfish Habitat		×		1,2		X	No permont stending with in westerned
4. Sediment/toxicant retention		×	1,2,4	3,	į	×	Lack of works rouse 11 mits potential, sportsouth
5. Nutrient retention/transformation		×	1,5,7	23		×	Lack of wester course (mits opportunity for attenuation.
6. Nutrient export		K	L	0 0		×	No opportunity for nothless export or two hing with no indecourse.
7. Sediment/Shoreline Stabilization		X	er_	1,2,5,6,7		×	to the or watercourse
8. Wildlife habitat	X		11/18/2/2	1,3,49,12	x		Processing of wettend and adjust uplant bubitation
9. Recreation	×			6'8'9'2'01		×	Trank crosses Through the site. Recuestioned Opportunity exists, accountfully los poulds in the
10. Education/Scientific Value		×	5,.	1,3,4,6,7,		×	Access unknown with reducentarial Makine also
11. Uniqueness/Heritage		*	7'1	35-26		×	To known unige or heritage teather present. Asea lacks features of local similaring.
12. Visual Quality/Aesthetics		×	٦)	1,3-12		X	Ermited Usibility Does not provide Usual contrast to surrounding.
13. Endangered Species Habitat		X		211		×	No endangeed species observed to noted
Note: Federal functions derived from ACOE's Guide for Permit Applicants, 1993.	ide for	Permit /	Applicants, 1993				

			WE	WETLAND SUMMARY SHEET	MARY	SHEE	WET! AND ID#:
WE I LAND DESCRIPTION							
Project: Gorham Bypass							
Werland	between 1	Racewoon &		सियनम् Watershed:	Be	2020	BENJEON GIT CLUST
PFDI PEN				3			
Principal vegetation: red maple	eme	emergents	وَ	154 Mendows Rock	120	2000	
				Hydrology:	5	9	Hydrology: Brown R. 2016, 02 that a feet of the state of the
Disturbance: 01& track over	(A)	15	disturbance on	Surrounding	Land	Jse:	1 1 10 moral 10 10 10 10 10 10 10 10 10 10 10 10 10
Water bodies:		9	east sale	2			1
Wildlife observations:			1				
FUNCTIONAL ASSESSMENT	Occu	Occurrence	Rationale	Rationale (Question#)	Prin	Principal	Comments
1. Groundwater recharge/discharge	- 5	2	2 2	N 1-12, 14	<u>}</u> }	z	Upslupe dwarze noted as edges of westerns
2. Flood storage & desynchronization	(×		2,6,7-10	123.11-19	< ×		have, well trestated vettered with constructed
3. Fish and Shellfish Habitat	人		2/1			*	Farge En X 4000
4. Sediment/toxicant retention	X		2,345,78		×		Good potential for sed a tox + + = point in difficient for chiquest bounds development a favoritient
5. Nutrient retention/transformation	×		1,3,4,56		メ		Sorres one wated with adjacent town (was, with
6. Nutrient export	メ		1,2,4,7,3		·	X	Potenthat for export exists but potential for flushing
7. Sediment/Shoreline Stabilization	×		2,3,4,6	11'01'2'5		Х	Denote vegetestangos bow who item and lavie of bound
8. Wildlife habitat	×		5,6,7,8,9,13	21/11/01/5.14	×		Lorge western outh good massion in surrounding ones. Tours Untra winted ones to west.
9. Recreation	×		21/2/5	1,2,8,10		×	1 _/
10. Education/Scientific Value		×	2,5,3,	01/6/8/2		×	No Ituoun selection or scientific volve exceptions
11. Uniqueness/Heritage		×	1,7	1,3,4,8,9		×	10,
12. Visual Quality/Aesthetics	*	. ,	. 6'2'1			×	Portions highly visible from Flessey
13. Endangered Species Habitat	·	>		7,7		×	Untinoun. No endangered gream coserved in frell, nountain favored abstract all set

			WE	WETLAND SUMMARY SHEET	MARY:	SHEET	[WETLAND ID#: 文
WETLAND DESCRIPTION							1
Project: Gorham Bypass							
General description: Brown & Browle	2/0			Watershed:	a y	3 200	Presumerat aver
PF01, P	_						
Principal vegetation: Rimagle / sens three ferm	3	ک					
65				Hydrology:	streams	Sams	\$ draineseming
Disturbance: Includes narrow drainage warp	cungs	اعص ع	4	Surrounding	Land L	Jse: F	£5.
Water bodies: Brandy Brook	ر ٰ						
FUNCTIONAL ASSESSMENT	Occurrence	ence	Rationale	Rationale (Question#)	Prin	Principal	Comments
	>	z	>	z	≻	z	
Groundwater recharge/discharge	`~		12,6,13	12,14	×		expecses to be discharge at eases of wetland
2. Flood storage & desynchronization	×	· · · · · · · · · · · · · · · · · · ·	7,8,10,13	1,34,6		X	Drainge channed too narrow to provide values.
3. Fish and Shellfish Habitat	25.00	×	2'1			х	Westercourse intermental limiting herbited
4. Sediment/toxicant retention	×		0; 2, 2, 10	6'L		X	parrow channed. With smell area of Impoundment too provide Imited storings.
5. Nutrient retention/transformation	У.	×	3, 6,12,14	01.8/2/		X	Limited vegestation demany and opportunity for
6. Nutrient export		×	,	1,2,6,8,9,13		×	Uniteruni occurrence of "firshing" of notrients. Littles development of detritis in metine available.
7. Sediment/Shoreline Stabilization	×		12,3,5,7	h '01.19	×		Parrow watercourse, limited vegetetron, potentially had relocates prouge sposis, mitr
8. Wildlife habitat	×	7	, 'L'S	1,4,9,13,14		×	
9. Recreation	×			11/01 6		X	Limited access, parling or travel ever on aute
10. Education/Scientific Value		×		1,2,3,45		×	d a ceas
11. Uniqueness/Heritage	^	<i>∨</i>	. 12	13, 4, 6,9 10, 12,13,		×	Limitek significance of distribed wetland onta. Thurtex accessibility.
12. Visual Quality/Aesthetics		Х		1,2,3,45		X	himst esk Usionisty and access to wettend.
13. Endangered Species Habitat		×		7'1		X	No Known endenged species hubbat observed or noted by alphasia.
Note: Federal functions derived from ACOE's Guide for Dermit Applicants 1903	for Do	rmit Ar	nliconte 1003		1		1

			WET	WETLAND SUMMARY SHEET	IRY SHE	EET WETLAND ID#: ©
WETLAND DESCRIPTION						
Project: Gorham Bypass						
	シャン	50	Priver Aprila.	Amin, Watershed:	S. P. C.S.C.	Thomas int Board
Classifications (fed): (ヤラハ (・)						1
Principal vegetation: greusses soft nost	75.					
				Hydrology: 5	SURFACE	C PRAINAGE AND ASSOCIATED INTERMITTENT STREAM
Disturbance: मिल्ली				Surrounding Land Use:	and Use:	AG FIELD AND LO
الم الم	10:02	1, ad	iacent			1
os,	PATRIBGE	ÓGE,	OFFR TRACK/SCAT	K/SCAT, FROGS	23	
FUNCTIONAL ASSESSMENT	Occurrence	rence	Rationale	Rationale (Question#)	Principal	al Comments
	>	z	>	Z	>	2
1. Groundwater recharge/discharge		×	-	3,4,5,8,13		
2. Flood storage & desynchronization	×		2,3,4,7,6		1	LANGE WELLAND AREA W/ SMALL OUTLE LOW POSITION OF FIELD DROWING STADAY
3. Fish and Shellfish Habitat		人		211	X	X to sigh or shell from habitat awailable.
4. Sediment/toxicant retention	74		2,3,4,7,8	6'-	×	HEADWATER AREA HAS A STATE WIGHWAY THAT 15 SALTED IN WINTER, PORTIONS OF WETLAND AREA 25 STATE IN THE CONTRACT OF
5. Nutrient retention/transformation	×		3,4,5,6,7	01,5,1	X	AG LAND POTENTIAL SOURCE OF NUTRIENTS.
6. Nutrient export		ナ	1,4,5,7	2, 2, 6, 8		X Amsted thous and publity to export.
7. Sediment/Shoreline Stabilization		X		F1 -1		X No channed or watercourse to stabilize to
8. Wildlife habitat	メ		3,5,8,11,13, 14,16,17,18,	1,4,6,12,23	X	01/1
9. Recreation		X				
10. Education/Scientific Value		1	7	01-4,7-10		X No thouse & ducation or scientific values
11. Uniqueness/Heritage		×	2	11-6'1		X No Khown unique or heritage teasures present.
12. Visual Quality/Aesthetics	X		1,2,3,5,7	4,6,9,10,12		X PEN THE HIGHWAY THE VIEWSHED INCLUDES OPEN FIELDS FRAMED BY WETLAND AREAS,
13. Endangered Species Habitat				2'1	>	A HO OBSERVED DURING STUDY
Note: Enderst functions derived from ACOE's Guide for Dermit Apolic	do for	Jarmit /	Applicante 1903			

		W	ETLAND SUMMARY SHEET	ARY SHEE	T WET! AND ID#: 10
WETLAND DESCRIPTION					
Project: Gorham Bypass					
General description: Ltty Conce	いとうといろ	174	Watershed:	Presions: CET	5 to T (2.20)
_	 -	,			
tation: Socal	alyse				
,	•		Hydrology:	river	
Disturbance:			Surrounding Land Use:	and Use:	Los No. D. Follow
Water bodies: Little River					
Wildlife observations:					
FUNCTIONAL ASSESSMENT	Occurrence		Rationale (Question#)	Principal	Comments
	z >	>	Z	z >	-
1. Groundwater recharge/discharge	×	2,6,7,8,18	2 3,4,5,13,12	X	DISCHARGE 18 WOTED BY SEEPS AT ANDER!
2. Flood storage & desynchronization	×	3,7,6	1,5	X	ALIMITE AREA NEAR THE ALVER IS CAPABLE OF STORING FLOOD WATER.
3. Fish and Shellfish Habitat	×	2,3,4,		×	THE RIVER IS A PERENDIAL FLOW THAT SUPPORT A WIDE RANCE OF AROATE SPECIES AND IS ACCESSABLE FOR ABERT FOR LIKE PENING.
4. Sediment/toxicant retention	メ	15,16	4 (,3,5,7,11,	<u>بر</u>	THE AREAS ON BOTH SIDES OF THE RIVER, WHILE UMITED IN SIZE PROVIDED FOR SECONDENT ACTENTION DURING ANNIVAL FLOOD FILENTS
5. Nutrient retention/transformation	X		1,3,5,6,10	×	THE SMALL VETTAND AREAS WAVE LIMITED FUNCTIONS FOR REPARKS OUE TO THE INTERNIT HELT BURNTION OF FIGURES CHANGES IN CONTRACT.
6. Nutrient export	×	1,2,4,6,7	3,5,10,11	 ×	RIVER FLOW TRANFORTS NOTHIENTS
zation	×	12,3,5,0	4	×	PLANT MATERIALS ON EMBANK WENT STABILIZE SOIL ALONG THE QIVEOC PANKS
8. Wildlife habitat	×	1,2.3,4,6, 7,8,4,13,4		×	10.
9. Recreation	×	2,3,4,5,	11'01'6'2'1	×	HIKING AND FISHING ARE ACTIVITIES PROVIDED BY THE ALVER AND & SARANKINENT.
10. Education/Scientific Value	×	2,4,5,9,	1.3,7,8	×	A TYPICAL "CROSS SECTION" OF A WETCAND SYSTEM CAN
11. Uniqueness/Heritage	×	2,4,6,7,8,11,12,16	3,9,10,14	×	A COMBINATION OF HABITAT AND WETLAND TYPES ARE
12. Visual Quality/Aesthetics	*	1,2,3,5,7	4,12	×	QUIET AND HABITAT RICH WITH A FLOWING STREAM
13. Endangered Species Habitat	*		24)	*	NODE OBSERVED DURING STUDY OR LOTES
Note: Federal functions derived from ACOE's Guide for Permit Applicants, 1993.	ide for Perm	it Applicants, 199			

			WEI	WETLAND SUMMARY SHEET	ARY S	開	WETLAND ID#: 🖍
WETLAND DESCRIPTION							
Project: Gorham Bypass							
General description: Last Sule draingles	काणद (Little R.	Watershed:	Pesusosco#	2	Cott Park
Classifications (fed): PらM (7						1
tation:							
Soil substrate:				Hydrology: SURFACE	CREA	1	DOAMAGE
Disturbance: old woods was.		-		Surrounding Land Use:	and U		4n.0c.10 ()
Water bodies: n0n2						1	
Wildlife observations:							
FUNCTIONAL ASSESSMENT	Occu	Occurrence	Rationale	Rationale (Question#)	Principal	pal	Comments
	>[z	≻	z	>	z	
Groundwater recharge/discharge	×		7, 1, 9, 12 6,	3,4,11	×		AREAS OF SLOPE TO ES ASSOCIATED WITH THE WETLAND MARGIANS EXHIBIT DISCHARCE.
2. Flood storage & desynchronization		X	53,5,9	1,4,7,8		×	Elmited flood storage availability
3. Fish and Shellfish Habitat		1		1,2		×	No habitat or veteriouse anailable.
4. Sediment/toxicant retention		X		1,3,5,7,9		×	Unknown inprof selmentsoires,
5. Nutrient retention/transformation	,	¥	5,7	1,2.3,8,9		×	Limited opportunity for retention or transform.
6. Nutrient export		У		6'8'69'1		×	From evailable but export of prochodion
7. Sediment/Shoreline Stabilization		X	1,2,5,7	21/11/01/9		×	Limited vegetation for stabilization purposes
8. Wildlife habitat	Х		1,3,4,5,7, 8,11,13,19,	ć,	×		A SERIES OF LONG AND WARROW ALONG WITH A LARGER MORE BROAD WETLAND PROVIDE A COMB-
9. Recreation	×		3.5,4,7	1,27		×	HUWTING, HIKNG, AND VISUAL QUALMIES PROVIDE RECREATIONAL USE
10. Education/Scientific Value		X	••.	1,2,2,6,7		×	No Known educational or scientific Vilues, Trinited access, Lington Values.
11. Uniqueness/Heritage	·	メ	ŗ.	5'5'2'1		<u>×</u>	on reque o
12. Visual Quality/Aesthetics	×		1,2,3,5,6	9,12		×	SEVERAL POLUTS W/THE COMBINED SYSTEM PROVIDE ARSTHAMEN C. WIEWS, HEDS.
13. Endangered Species Habitat		X		2')		×	NOU OBSERVED PURING STUDY

Note: Federal functions derived from ACOE's Guide for Permit Applicants, 1993.

			M	WETLAND SUMMARY SHEET	MARY:	SHEET	VETLAND ID#: 13
WETLAND DESCRIPTION							1
Project: Gorham Bypass		-					
General description: healwater area	1	大户	my prop	യ്ഗ്രയ്ഗ്ര Watershed:	1	3	Presumos at Bush
)				1		
Principal vegetation: みんなり らいくい	7	pec. al	(der, red	maple	hemlock	7	
.6	.			ġy:	grandwate	die	to breatout, sortage ron el
DO 1005113	activity	30		Surrounding Land Use:	Land L	Jse:	
Water bodies:							
ELINICATIONIAL ASSESSMENT	d		1	. (,			
FONOTIONAL ASSESSIMENT	ğ >	Occurrence Y N		Kationale (Question#) Y	Priņ ≻	Principal Y	Comments
1. Groundwater recharge/discharge	>		1,6,9,12	3,4	×	: 1	LIMITED AREAS OF DRAINAGE DISCHARGE FORM THE TOE OF SLOPES,
2. Flood storage & desynchronization	×		2,3,4,5	9'1		×	FLOOD STORAGE CAPACITY RELATED TO LANDSCAPE
3. Fish and Shellfish Habitat		X		2/1		>	1 -
4. Sediment/toxicant retention		メ	1,2,34	6269		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Upper rejectes of Stream/westerns.
5. Nutrient retention/transformation		X	2,4,5,0	1,2,49		×	
6. Nutrient export	×	* .	1.4.57	2,2,6,8		×	Limited from 5, although down vergrention.
7. Sediment/Shoreline Stabilization	×	· · · · · · · · · · · · · · · · · · ·		4-1-	1	\ \ \	No channel in upper reaches, well vestated
8. Wildlife habitat	X		13,578	4,6,11,12	×		THE MAIN PORTION OF THE WETLANDS YSTEM 15 A WET MEADOW SURROUDED BY 55 & FO AND PROUDES A RANCE OF UL HABITATE
9. Recreation	×		3,4,5,7	1,2,		>	Limited access.
10. Education/Scientific Value		×	ν	01-2-4,7-10		+	No known obucation or is crentific values
11. Uniqueness/Heritage		X	٢	1,0.1		\ \ \	No Known unique or haritage Seather presont
12. Visual Quality/Aesthetics	×		1,2,3,5,6	0		×	THE CEPTER OF THE WETTAND IS A WETWEADOWN THAT HAS AVAESTHETIC VALUE
13. Endangered Species Habitat		X				*	NONE OBSCRICO DURIDE STUDY
Note: Federal functions derived from ACOE's Guide for Permit Applicants, 1993.	ide for	Permit,	Applicants, 1993				

			WE	WETLAND SUMMARY SHEET	MARY S	HEET	WETLAND ID#: /4
WETLAND DESCRIPTION							
Project: Gorham Bypass							
General description: 50 JTV 5. De alt	drainaspo		一たれ 十二	Watershed:	و	かんがら	Presumosa H Pares
8	b	1	Brock			†	
Principal vegetation: hem/oc/L,	yellow	l	61504 7	of you want	. 40	700	SO NO B NOW
	_		<u></u>	Hydrology:	G VOUND/ MAR	1020	the breakfort as a second second
Disturbance: 01 & W9317 ac	ナンナ	3	ad jace I dist	activity and adjust dist. Surrounding Land Use: forester	Land U	se:	or tex
e. obminal	ما دلا	leading	to Terriv	Termeny Brook			
Wildlife observations: ∂		7					
FUNCTIONAL ASSESSMENT	Occurrence	euce :	Rationale	Rationale (Question#)	Principal	ipal	Comments
	-	z	>	z	>	z	
i. Groundwater recharge/discharge			0)	a mary up	•	×	red could potential
2. Flood storage & desynchronization			2,354	4,78		1	Limited Classifications of the classifications
		X	. 1 .	13,14,15		X	an hillside and largely drainage ways.
3. Fish and Shellfish Habitat		X		21)		×	No water bodies available for habitat
4. Sediment/toxicant retention	·	×		1,3,5,79		×	Unknown input of sediments limited vegetation
5. Nutrient retention/transformation		×	2,7	1,2,3,8,9		×	Lineted opentioning for jetention or transformation
							due to stope out lack of elever veg on stopes.
6. Nutrient export	1 200	Х		6'8'4'91		X	Stream from available but no production available to-
7. Sediment/Shoreline Stabilization	×		65/21	11'0)'9	X	,	Flow in drainage but mitch vegetester for
8. Wildlife habitat	X		45,6,7,11,	9,0,13,14,15		×	Lorge by remlock forest wold rainages on hillorde Limited habitat values except surbunding oplands
9. Recreation		×	4	01,9,7,9,10		X	Limited access, water and
10. Education/Scientific Value		X		8,11-14,15-16	- 9	×	No Verson advectioned or scentific value, dong uith linited access, hart value for Thistonton,
11. Uniqueness/Heritage		X	2	1,3,4,5		*	No known uncose or heritys feather present. Area lacks feather of local significance.
12. Visual Quality/Aesthetics		X	5,	1,2,3,4,6 3,4,6		X	Limited visibility and accessibility.
13. Endangered Species Habitat	•	1		۲'		×	Ho known endangered species habitest observed
Note: Federal functions derived from ACOE's Guide for Permit Applicants, 1993.	uide for P	ermit A	pplicants, 199	3.			

		W	WETLAND SUMMARY SHEET	ARY SH	IEET WETLAND ID#: 1 ℃
WETLAND DESCRIPTION					
Project: Gorham Bypass				7. 37. 14.	
General description: Tannery	Brook		Watershed:	Presu	Watershed: Presumps with River
_					
Principal vegetation: Cruna ・ やとい	کے	red maple,	.borsetai		
Soil substrate: sand a cobole coffom	400		Hydrology:	3, m	3 wwe starom, nonth from 4"-1" down
Disturbance:			Surrounding Land Use:	and Use	9
Water bodies: Tannery Prook	5 F				
Wildlife observations:					
FUNCTIONAL ASSESSMENT	Occurrence		Rationale (Question#)	Principal	lal Comments
	>	≻	Z	/	Z
Groundwater recharge/discharge	×	7,13,15	21/6/2 2-1	×	X well channelized but sincous peremial stream
2. Flood storage & desynchronization	×	1,4,6,7,8		×	Channelized Amean within high biniles alopes.
3. Fish and Shellfish Habitat	×	1,2,3,4,7	9 4	×	western's includes Tannery Brook. Sinvous, peremid
4. Sediment/toxicant retention	X	1,9,4,10,1	4,10,11 5,7,13	×	Stream has well defred channed; sand /mod bottom
5. Nutrient retention/transformation	×	2,3,4,6,7	9,10,11,13	×	
6. Nutrient export	×	4,6,10,11	2,2	8	Operations for exporting a variable, somes
7. Sediment/Shoreline Stabilization	×	8'2'8'2'	3 4,9, 10, 11	 ×	channel hishly evodible. Good ships and dant
8. Wildlife habitat	メ	8,4,79	21/11/01/1	×	Good interpersion of stream, shows of balaceus
9. Recreation		4,5,6,7,11	0) 61	*	Limited access to over our existing path & bridge indicate preceptional was
10. Education/Scientific Value	×	4,5,4	8/2/3/6/26	<u>×</u>	
11. Uniqueness/Heritage	*,	8,7,6,7,8	41'51'5'5'1	×	Little Grown one;
12. Visual Quality/Aesthetics	Х	6,5,2,9			X Limited visual access to stream area, but existing tool bridge & thail chosses
13. Endangered Species Habitat		×	2'1	×	X No Known endangaged Species observed in the field o'r noted by alon is
Note: Federal functions derived from ACOF's Guide for Permit Applicants 1993	ide for P	ermit Annlicants, 199	ď		X

		1	WE	WETLAND SUMMARY SHEET	ARY SHEE	ET WETLAND ID#: 1/2
WETLAND DESCRIPTION						
Project: Gorham Bypass						
~Y	7841	atroph a	x 202	Watershed:	Presum	Presumps with Ruser
P551 '						
Principal vegetation: 50 al, buck thorn, respleans	1000	res	bern			
			•	Hydrology:		
Disturbance: old woods trails	1	exist tra	Fra (15	Surrounding I	and Use:	Surrounding Land Use: residentical, forested rec. travils
e) dramage	3 wales		near houses			-
١						
FUNCTIONAL ASSESSMENT C	Occurrence	ence	Rationale	Rationale (Question#)	Principal	Comments
ŀ	_	z	>	Z	z >	
Groundwater recharge/discharge		*		1,2,3,4,13	×	Potential groundinate breakout but
2. Flood storage & desynchronization		×	3,4,5	21/11/22/1	×	Flood storage limited due to small limited inputs.
3. Fish and Shellfish Habitat		X		2'1	×	
4. Sediment/toxicant retention	X		2	6221	· · ·	Sodinast sources may be acculable from road, Lintell
5. Nutrient retention/transformation		×	5.	6'3'2'2'1	×	available linited opportuity
6. Nutrient export		×		9'2'2	×	
7. Sediment/Shoreline Stabilization	×			3,7,8	*	Donse resetation is expected to provide god rediment stab. but no watercourse
8. Wildlife habitat	メ		3,1,5,7		X	Small area, may provide accessment to ruse from roads, Little value, itself, of
9. Recreation		X	6	21/11/8-1	×	Private property. Himited a ciesa, atthough woods houds cross the site. Limited rec. Values -to-small
10. Education/Scientific Value		×	72	2,2,4,7,8,9	×<	ļ
11. Uniqueness/Heritage		メ	1,2	326	*	Area lacks features of locksignificance to-bio.etc
12. Visual Quality/Aesthetics		×	. 9	245)	X	
13. Endangered Species Habitat		X		7,1	×	No known Endangeed species observed in the field or noted by agencies.

	1		WE	WETLAND SUMMARY SHEET	ARY S	HEET	WETLAND ID#: 17
WETLAND DESCRIPTION							
Project: Gorham Bypass							
description: Isolated	wetland	Rast	Fol Inbby	Watershed: PRESUMPSCOTT	PRES	S. Z.	PSCOTT RIVER
10			(Coas				
Principal vegetation:							
Soil substrate:				Hydrology: SURFACE	JRFA		AUDOFF
Disturbance:				Surrounding Land Use:	and Us		
Water bodies:							
Wildlife observations:							
FUNCTIONAL ASSESSMENT	Occurrence V N	rence	Rationale V	Rationale (Question#)	Principal ×	ipal N	Comments
1. Groundwater recharge/discharge	- ×	=	1, 7, 10,	3.4.11,16,	-		IN ADDITION TO COLLECTING SURFACE WARINGE, THE WETLAND SERVES AS A DISCHARE POINT FOR THE WETLAND SERVES AS A DISCHARE POINT FOR
2. Flood storage & desynchronization		×				×	too small to provide storage
3. Fish and Shellfish Habitat		メ		2'1		×	No watercourse or habitect
4. Sediment/toxicant retention	X	-	1,2,4.8,9	5:7	1 × 8	×	AS THE MICHEST WETLAND IN THE MOSHER BROOKLYMING SHED, LOCAL DEVELOPMENT AND EXISTING ROADS COTENTE, SED/TOX THAT CAN BE
5. Nutrient retention/transformation		×		1,2,4,5,9		X	MINIMIZED BY THIS WETLAND.
6. Nutrient export		メ		9'2'6		×	No watrourse or channel for flushing.
7. Sediment/Shoreline Stabilization		×		3/2/6/1		1	No channel for stabilization purposes
8. Wildlife habitat	X		1,3,5,6,8	4, 11,12	×		COMBINED W/ MOSHER BROOK, THIS WETLAND PROVIDES DIVERSIFIED HABITATS,
9. Recreation		メ	·			×	No access
10. Education/Scientific Value	X		2,3,4,5,	8',		×	AS THE HIGHEST WETCAND IN A SMALL DIRAINAGE SYSTEM AND A DRECT LINK W/MOSHER, BROOK THIS SMAC, WETCAND WAS ENCATIONAL VALUE.
11. Uniqueness/Heritage		\times				×	No Ichown unique or nevitage tectures present. Facts local significance
12. Visual Quality/Aesthetics		\times				×	drea not wistble or accossible.
13. Endangered Species Habitat		X	٠	211		×	No and, species herbitest observed or species moted by aspicies
Note: Federal functions derived from ACOE's Guide for Permit Applicants 1993	de for	Jermit ,	Annlicante 1997				

			WE	WETLAND SUMMARY SHEET	ARY S	HEET	WETLAND ID#: (≪
WETLAND DESCRIPTION							-
Project: Gorham Bypass							
General description: western _ M	- MOSHER		wook drain	Brook drain Watershed: DREGUIN O GLOTT	PAFC	200	02/011 01/10
							1
Principal vegetation:							
Soil substrate:				Hydrology: 5	SURFI	X E	Hydrology: SURFACE DRAIDAGE
Disturbance: RECENT LOGGING		SPER	OPERATION	Surrounding Land Use:	Land Us	ë.	FORESTIANO
Water bodies:							
Wildlife observations:							
FUNCTIONAL ASSESSMENT	Occu	Occurrence		Rationale (Question#)	Principal		Comments
	>	z	\	z	>	z	
Groundwater recharge/discharge	×		51,97,12	3,4		X	SEVERAL SMALL WETLAND COLLECTIVELY MAKE UP THE GROUNDWATER DISCHARGE OF THEIR SURROUDING AREA
2. Flood storage & desynchronization		\times	24.50	1,2,7,11		×	Upper stacker of wetlend and water, ted.
3. Fish and Shellfish Habitat		X		21		×	
4. Sediment/toxicant retention	Χ		1, 3,4,5	2,		13.02	LOGGING- ACTIVITIES OFFER THE POTENTIAL TO CREATE SOIL EROSION, WHICH COULD BE STABILIZED BY THE WETTANN BESINE BUTENING MAREN
5. Nutrient retention/transformation		×	<u>a</u>	2-4-2,		X	Potential natrient sources (moted.
6. Nutrient export		Х	14,5,7	539/672		×	Limited potential to rexport of detrotis
7. Sediment/Shoreline Stabilization		X		1,3,4,7,89		X	to withor course to stabilize. Difficul,
8. Wildlife habitat	×		13,4,5,7	11,12	×	na v	WHILE SMALL, THE VETCAUBTHAT WAKE OP THIS GROUP ARE IN CLOSE PROXIMITY TO MOSHER BROOK, THE COMBINED SYSTEM OFFER, A WUR DANKE OF HABITATS.
9. Recreation		×		21/11/5-1		<u>></u>	No access available
10. Education/Scientific Value		X	5	2-4,7-10		>	No tenoun educational or saenthic Jalues available. Limited access.
11. Uniqueness/Heritage		入	۲	11-8-11		×	1 2 3
12. Visual Quality/Aesthetics		入	6'2'2	21/11/016		×	ted visibility and ac
13. Endangered Species Habitat		X		7.1		メ	NOUF OBSERVED DURIL STUBY

			WE	WETLAND SUMMARY SHEET	ARY	HEET	r WETLAND ID#: 19
WETLAND DESCRIPTION							
Project: Gorham Bypass							
General description: Sothery tr	tributaun	מעאי	Moshat	Moshst Watershed:	fles	JM0	Presumpsut Ruer
Classifications (fed): PSS(, PGM			Brook			-	
Principal vegetation: cattall	alder	1	DUCKTROVA	Sensitive fern	4		- 1
۲			,	Hydrology: surface	47.0%	Z Z	from goons water
Disturbance: excavuted かけ	(tches			Surrounding Land Use:	Land L	l	field, residential
Water bodies: cheanage ditches		included	2d			***************************************	< I
Wildlife observations:							
FUNCTIONAL ASSESSMENT	Occur	Occurrence	Rationale	Rationale (Question#)	Principal	cipal	Comments
	>	z	>	z	\succ	z	
1. Groundwater recharge/discharge	×		1,6,7,15	2,3,4,5		×	Drainage clitches in field, impervious soils at t. 2011.
2. Flood storage & desynchronization	×		2,3,7,13	6'5'9	×		
3. Fish and Shellfish Habitat		X				×	Lacic of persistent water
4. Sediment/toxicant retention	X		2,13,15	1,3,11	×		foods, residences and adjacent-development may contribute to this finction.
5. Nutrient retention/transformation	×		3,5,6,9,9	2,4	×	: :	timited agricultual USE In onea reduces fon atton
6. Nutrient export	メ		25,4,5,1			Х	Off site dominage is limited limiting patential for export of detritus, etc.
7. Sediment/Shoreline Stabilization	X		2,114	1,3-13		Х	well vegetated ditch and those inducted value, now velocities immigated ind.
8. Wildlife habitat	×		8,61,72,8	01'9'6'2	X		Overall large size, interspersion of plant Communities Contribate to value
9. Recreation	×		2,4,12	01/5/21	×		0. 0
10. Education/Scientific Value	Х			1,2,74,68		×	The lack of parking and limited diversity Init the overall value for edu.
11. Uniqueness/Heritage		ኧ	2			×	6 7
12. Visual Quality/Aesthetics	×		9	1,2,3,4,5	×		Powerlines Immit or reduce certietic qualities.
13. Endangered Species Habitat		×		21		×	No endangered grecies observed during field would or by gameies
			4000				

			WET	WETLAND SUMMARY SHEET	ARY S	HEET	WETLAND ID#: ○ ○
WETLAND DESCRIPTION							
Project: Gorham Bypass							
General description: Mosher Corner	3	wettando		Watershed: Resumps with Contr	7.65.0	Mosc	+ C. c.
V							
Principal vegetation: タク al, cottau	1	buckthorn	nya				
Soil substrate: 9.14 loam	 			Hydrology: surface drawing	してちょ	8	range a via distraint a resultante
Disturbance: Jarge open area Inconding	باساءا	γινε	powerting	power-land Surrounding Land Use: Lold	and U	se:	povetline of
ı		\					I
Wildlife observations:		-					
FUNCTIONAL ASSESSMENT	Occu	Occurrence	Rationale (Rationale (Question#)	Principal	ipal	Comments
	>	z	. ≻	Z	>	z	
1. Groundwater recharge/discharge	\times		51121911	2,4,5,5		×	Drainage ditches along the sate SIT (Oam soils limit permeabouth
2. Flood storage & desynchronization	×		2,2,7,3	6'6'9	×		area and size of wetland could contribute at our and desunction isother values
3. Fish and Shellfish Habitat		7		2.7		×	No open water persistent. waterbouse is intermittent.
4. Sediment/toxicant retention	乂		01/21/21/21		×		adjacent reciliarys, houses out traits
5. Nutrient retention/transformation	X		6'2'5'4'8	0) 12 (1	×		
6. Nutrient export	×		1,2,4,7	4) '5' '9		ス	High denosty and patential for exporting or "Floshing" atrians, atrians, Exists, Limited by into mitted hatre furtheres
7. Sediment/Shoreline Stabilization	X		2,35,8,9	11/01/2'91		メ	benze vegetation, low velocities lunt potestrate.
8. Wildlife habitat	又		5, 11, 12 19, 11, 12	1,34,0	メ	;	Longe community of diverse somewhys contribute to
9. Recreation	×		21/26	01/5.51	×		Existing trails for snow nobiles & access try power o.
10. Education/Scientific Value	×		3,5,8	1,2,4,6,7		×	Difficult access but no potential viculable, 6000 horbith and visibility.
11. Uniqueness/Heritage		, X	7,12,13,19	2, 3, 4, 5,9		R	old agricultural and plus overhead powerlines Imit This value
12. Visual Quality/Aesthetics	×	•			×		Visually accessible from Rowle 25 but overall inpart of power lines limit value
13. Endangered Species Habitat		¥		2.		×	No endoughed species spooned during field coord or motel by against

		i
		1
		1
		l
		1
		1
		1
		1
		1
		1
		1

APPENDIX B

		1
		•
		1
		1
		1
		i
		!
		1

Appendix B

Amphibians and Reptiles Common Species with Ranges Overlapping the Study Area (DeGraaf and Rudis, 1986)

Common Name

Scientific Name

Jefferson salamander Spotted salamander Red-spotted newt

Northern dusky salamander Redback salamander

Northern two-lined salamander

Eastern American toad Northern spring peeper

Gray Treefrog Bullfrog Green frog Wood frog

Northern leopard frog

Pickerel frog

Common snapping turtle

Stinkpot

Eastern painted turtle Northern water snake Northern brown snake Northern redbelly snake Eastern garter snake

Eastern ribbon snake Northern ringneck snake

Northern black racer
Eastern smooth green snake

Eastern milk snake

Ambystoma opacum Ambystoma maculatum Notophthalmus v. viridescens

Desmognatus f. fuscus
Plethodon cinereus
Eurycea b.bislineata
Bufo a. americanus
Hyla c. crucifer
Hyla versicolor
Rana catesbeiana
Rana clamitans melanota

Rana sylvatica Rana pipiens Rana palustris

Chelydra s. serpentina Sternotherus odoratus Chrysemys p.picta Nerodia s. sipedon Storeria d. dekayi

Storeria o. occipitomaculata Thamnophis s. sirtalis Thamnophis s. sauritus **

Diadophis punctatus

edwardsi

Coluber c. constrictor Opheodrys v. vernalis Lampropeltis t.triangulum

Appendix B B-1

^{** -} species considered to be at the limit of their range (Degraaf and Rudis, 1986)

Bird Species Occurring within the Study Area (MDIFW, 2002)

Common Name

Scientific Name

Gavia immer

Common loon
American bittern
Great blue heron
Green-backed heron
Wood duck

American black duck

Mallard

Ringed-neck duck Common goldeneye Hooded merganser Common merganser

Osprey
Bald eagle
American kestrel
Sharp-shinned hawk
Cooper's hawk
Northern goshawk
Red-shouldered hawk
Broad-winged hawk

Red-tailed hawk Ruffed grouse Virginia rail Sora

Killdeer

Spotted sandpiper Common snipe American woodcock Mourning dove Black-billed cuckoo Great horned owl

Barred owl Long-eared owl

Northern saw-whet owl Common nighthawk Whip-poor-will

Chimney swift

Ruby-throated hummingbird

Belted kingfisher

Yellow-bellied sapsucker Downy woodpecker Hairy woodpecker

Black-backed woodpecker

Northern flicker Pileated Woodpecker Botaurus lentiginosus Ardea herodias Butorides striatus Aix sponsa Anas rubripes Anas platyrhynchos Aythya collaris Bucephala clangula Lophodytes cucullaus Mergus merganser Pandion haliaetus

Haliaeetus leucocephalus

Falco sparverius
Accipiter striatus
Accipiter cooperii
Accipiter gentiles
Buteo lineatus
Buteo platypterus
Buteo jamaicensis
Bonasa umbellatus
Rallus limicola
Porzana carolina
Charadrius vociferous
Actitis macularia
Gallinago gallinago
Scolopax minor
Zenaida macroura

Coccyzus erythropthalmus

Bubo virginianus Strix varia Asio otus

Aegolius acadicus
Charadeiles minor
Caprimulgus vociferous
Chaetura pelagica
Archilochus colubris
Ceryle alcyon
Sphyrapicus varius
Picoides pubescens

Picoides pubescens Picoides villosus Picoides articus Colaptes auratus Dryocopus pileatus

Common Name

Olive-sided flycatcher Yellow-bellied flycatcher

Alder flycatcher Least flycatcher Eastern phoebe

Great-crested flycatcher

Eastern kingbird Tree swallow

Northern rough-winged swallow

Bank swallow Gray jay Blue jay American crow

Common raven

Black-capped chickadee

Boreal chickadee Red-breasted nuthatch White-breasted nuthatch

Brown creeper Winter wren Marsh wren

Golden-crowned kinglet Ruby-crowned kinglet Eastern bluebird

Veery

Gray catbird
Swainson's thrush
Hermit thrush
Wood thrush
American robin
Cedar waxwing
Northern shrike
European starling
Philadelphia vireo

Red-eyed vireo Tennessee warbler Nashville warbler Northern parula Yellow warbler

Chestnut-sided warbler

Magnolia warbler Cape May warbler

Black-throated blue warbler Yellow-rumped warbler Black-throated green warbler

Blackburnian warbler

Palm warbler

Bay-breasted warbler Blackpoll warbler

Scientific Name

Contopus borealis
Empidonax flaviventris
Empidonax alnorum
Empidonax minimus
Sayornis phoebe
Myiarchus crinitus
Tyrannus tyrannus
Tachycineata bicolor
Stelgidopteryx serripennis

Riparia riparia

Perisoreus canadensis Cyanocitta cristata Corvus brachyrhynchos

Corvus corax
Parus atricapillus
Parus hudsonicus
Sitta canadensis
Sitta carolinensis
Certhia americana
Troglodytes troglodytes
Cistothorus palustus
Polioptila caerulea
Regulus calendula

Sialia sialis

Catharus fuscescens Dumetella carolinensis Catharus ustulatus Catharus guttatus Hylocichla mustelina Turdus migratorius Bombycilla cedrorum Lanius excubitor Sturnus vulgaris Vireo philadelphicus Vireo olivaceous Vermivora peregrina Vermivora ruficapilla Parula americana Dendroica petechia Dendroica pensylvanica Dendroica magnolia

Dendroica magnola
Dendroica tigrina
Dendroica caerulescens
Dendroica coronata
Dendroica virens
Dendroica fusca
Dendroica palmarum
Dendroica castanea
Dendroica striata

Common Name

Scientific Name

Black and white warbler American redstart

Ovenbird

Northern waterthrush Mourning warbler Common yellowthroat Canada warbler Scarlet tanager

Rose-breasted grosbeak

Indigo bunting
Chipping sparrow
Savannah sparrow
Song sparrow

Lincoln sparrow

White-throated sparrow

Dark eyed junco Snow bunting Bobolink

Red-winged blackbird Eastern meadowlark Brown-headed cowbird

Pine grosbeak Purple finch Common redpoll Pine siskin

American goldfinch Evening grosbeak Mniotilta varia
Setophaga ruticilla
Seiurus aurocapillus
Seiurus noveborecensis
Opornonis Philadelphia
Geothlyphis tricas
Wilsonia canadensis
Piranga olivacea

Pheucticus Iudovicianus Passerina cyanea

Spizella passerina

Passerculus sandwichencis

Melospiza melodia
Melospiza lincolnii
Zonotrichia albicollis
Junco hyemalis
Plectrophenax nivalis
Dolichonyx oryzivorus
Agelaius phoeniceus
Sturnella magna
Molothrus ater
Pinicola enucleator
Carpodacus purpureus
Carduelis flammea
Carduelis pinus

Carduelis tritris

Coccothraustes vesperimus

Mammal Species Occurring within the Study Area (MDIF&W, 2002)

Common Name	Scientific Name
Masked shrew	Sorex cinereus
Water shrew	Sorex palustris
Smoky shrew	Sorex fumeus
Pygmy shrew	Sorex hoyi **
Hairy-tailed mole	Parascalops breweri
Star-nosed mole	Condylura cristata
Little brown myotis	Myotis lucifugus
Big brown bat	Eptesicus fuscus
Snowshoe hare	Lepus americanus
Eastern chipmunk	Tamias striatus
Woodchuck	Marmota monax
Red squirrel	Tamiascciurus hudsonicus
Northern flying squirrel	Glaucomys sabrinus
Beaver	Castor Canadensis
Deer mouse	Peromyscus maniculatus
Southern red-backed vole	Clethrionomys gapperi
Meadow vole	Microtus pennsylvanicus
Muskrat	Ondatra zibethicus
Southern bog lemming	Synaptomys cooperi
Northern bog lemming	Synaptomys borealis
Meadow jumping mouse	Zapus hudsonicus
Woodland jumping mouse	Napeozapus insignis **
Porcupine	Erethizon dorsatum
Coyote	Canis latrans
Red fox	Vulpes vulpes
Black bear	Ursus americanus
Raccoon	Procyon lotor
Ermine	Mustela erminea
Long-tailed weasel	Mustela frenata
Fisher	Mates pennanti
Mink	Mustela vison
Striped skunk	Mephitis mephitis
River otter	Lutra canadensis
Bobcat	Felis rufus
White-tailed deer	Odocoileus virginianus
Moose	Alces alces

^{** -} species considered to be at the limit of their range (MDIF&W, 2002)

Appendix B B-5

	1
	1
	1
	1
	1
	4
	1
	1
	1
	•
	1
	1
	1

BIBLIOGRAPHY

		1
		i
		1
		1
		1
		1
		1
		. 1
		1
		1

Bibliography

Caswell, W.B. and E.M. Lanctot. 1976(a). Total Depth of Bedrock Wells in Cumberland County. Maine Geological Survey.

Caswell, W.B. and E.M. Lanctot. 1976(b). Yields of Bedrock Wells in Cumberland County. Maine Geological Survey.

Caswell, W.B. and E.M. Lanctot. 1976(c). Thickness of Overburden in Cumberland County. Maine Geological Survey.

Clean Water Act. 1972. Sections 401 and 404. 33 USC 1251-1376.

Coffin, David. Portland Water District, Customer Service. July 20, 2000. Personal communication via telephone.

Cowardin, L.M., V. Carter, F.C. Golet, T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. United States Fish and Wildlife Service, Washington, DC.

DeGraff, Richard M. and D.D. Rudis. New England Wildlife: Habitat, Natural History, and Distribution. General Technical Report NE-108, Broomhall PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 1986.

DeGraff, Richard M., Yamasaki, Mariko, Leak, William B., Lanier, John B. New England Wildlife: Management of Forested Habitats. General Technical Report NE-144, Radnor, PA. U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 1992.

Endangered Species Act. 1973. 16 USC Part 1531 et seg.

Executive Order 11990, Protection of Wetlands, May 24, 1977.

Hedstrom, Gary. Cumberland County, Maine Soil Survey. 1974. Soil Conservation Service, U.S. Department of Agriculture. Maine Agricultural Experiment Station.

Jones, A.L. and Peter D. Vickery. Conserving Grassland Birds—Managing Large Grasslands including Conservation Lands, Airports, and Landfills over 75 acres for Grassland Birds. Massachusetts Audubon Society, 1997.

Leedy, D.L., and Adams, L.W. Wildlife Considerations on Planning and Managing Highways Corridors. Federal Highway Administration. Office of Research and Development. Rep. FHWA-TS=82-212. 1982.

Maine Atlantic Salmon Commission. Electronic mail from Norm Dube to Jim Fougere, The Smart Associates, January 7, 2000. Maine Atlantic Salmon Commission, Banger, Maine.

Maine Department of Environmental Protection. Classification of Maine Waters. June 8, 2000. http://janus.state.me.us/dep/blwq/class.htm.

Maine Department of Environmental Protection. Maine Erosion and Sediment Control Handbook for Construction: Best Management Practices. Cumberland County SWCD. March 1991.

Maine Department of Environmental Protection. Nonpoint Source Priority Watersheds List. September 18, 1998(b). http://janus.state.me.us/dep/docwatershed.htm.

Maine Department of Environmental Protection. Maine Natural Resources Protection Act. Revised July 4, 1996. Title 38, MRSA, §§ 480A through 480Z.

Maine Department of Environmental Protection. Maine Section 303(d) Waters-1998.

Maine Department of Inland Fisheries and Wildlife. Map of Protected Species and Significant Wildlife Habitats. January 13, 2000. MDIFW, Gray, Maine.

Maine Department of Inland Fisheries and Wildlife. Fisheries resource information via e-mail from James Pellerin to Jim Fougere, The Smart Associates. January 12, 2000. MDIFW, Gray, Maine.

Maine Department of Inland Fisheries and Wildlife. Updated Map of Protected Species and Significant Wildlife Habitats. Warren Eldridge, January 10, 2001. Gray, Maine.

Maine Department of Inland Fisheries and Wildlife. List of Wildlife Species Occuring within Habitats of the Gorham Bypass Study Area. Warren Eldridge, March 11, 2002. Gray, Maine.

Maine Department of Transportation. 1998. Aerial Photographs of the Town of Gorham.

Maine Department of Transportation and Maine Department of Environmental Protection. Stormwater Memorandum of Agreement. M.R.S.A. § 420-D.

Maine Endangered Species Act. 12 MRSA Chapter V.

Maine Geological Survey. 1976. Groundwater Resource Maps of Cumberland County.

Natural Resources Protection Act. 38 MRSA § 480-D.

Neil, C.D., & G.W. Smith. Preliminary Aquifer Boundaries – Gorham Quadrangle. 1998. Maine Geological Survey. Open-File No. 98-143.

Neil, C.C., & G.W. Smith. Surficial Geology – Gorham Quadrangle, Maine. 1999. Maine Geological Survey. Open-File No. 99-84.

Public Law 98-98. Farmland Protection Policy Act (FPPA). 1984. 7 CFR 658.

State of Maine, Department of Conservation. Letter from Emily Pinkham to Jim Fougere, The Smart Associates. January 11, 2000. Rare and Exemplary Botanical Features. Maine Natural Areas Division, Augusta, Maine.

Swan, Brian. Maine Department of Marine Resources. January 27, 2000. Personal communication via telephone.

- U.S. Army Corps of Engineers. Corps of Engineers Wetland Delineation Manual. 1987. Waterways Experiment Station. Vicksburg, Mississippi. Technical Report Y-87-1.
- U.S. Army Corps of Engineers, New England Division. Guide to Permit Applicants. 1991. Waltham, Massachusetts.
- U.S. Army Corps of Engineers, New England Division. Highway Methodology Workbook Supplement: Wetland Functions and Values, *A Descriptive Approach*. 1995. NEDEP-360-1-30a.
- U.S. Army Corps of Engineers, New England Division. The Highway Methodology Workbook. 1993. NEDEP 360-1-30.
- U.S. Department of Agriculture, Natural Resources Conservation Service. Hydric Soils List for Maine. Soil Survey Division website. January 31, 2000. http://www.statlab.iastate.edu/soils/hydric/me.htm
- U.S. Department of Agriculture, Natural Resources Conservation Service. 1980. Important Farmlands Map for Cumberland County.
- U.S. Department of Agriculture. 1984. Farmland Protection Policy Act. 7 CFR 658.
- U.S. Department of the Interior. Geological Survey. Gorham Quadrangle. 7.5 minute series. Photorevised 1970.
- U.S. Department of the Interior. U.S. Geological Survey. Gorham Quadrangle, Maine 7.5 Minute Series (Topographic). 1987.
- U.S. Department of the Interior. U.S. Geological Survey. Surficial Geology Map. File No. 99-84.
- U.S. Fish and Wildlife Service. Casco Bay Estuary Project, Geographic Information Systems, 1995.
- U.S. Fish and Wildlife Service. Letter from Wende Mahaney to Jim Fougere, The Smart Associates. July 5, 2000. USFWS, Maine Ecological Services Field Office. Old Town, Maine.
- U.S. Fish and Wildlife Service. National Wetland Inventory Map Gorham Quadrangle. 1980.
- U.S. Geological Survey. 1985. Gorham, Maine 7.5 Minute Quadrangle.

			1
			1
			1
			1
			1
			1
			1
			1